EXHIBITS A-E

APPLICATION FOR CERTIFICATE OF APPROPRIATENESS

CITY OF DES MOINES HISTORIC PRESERVATION COMMISSION

(To be filled out by the applicant)	File Number 20-
Address of the Property 826 - 18th Street	
Owner of the PropertyJames C. Conlin	
Phone Number: Attorney: 515-242-2452	Owner: 515-246-8016
Applicant's Name, Address and Phone Number (if different f	rom owner) 319 7th St., Des Moines, IA, 50309
Current use of the propertymulti-family resident	cial
Approximate date structure was built if known1888	
Note the year any major alterations were completed of Prior to 1920 - full front porch added Prior to 1957 - footprint of building char which includes addition and conversion from	
which includes addition and conversion from See attached Exhibit C	<u>m single-family to multi-family</u>
Applicant's Signature	5/31/16_ Date
To be filled out by staff:	
Date of Historic Preservation Commission meeting	
Received by	Date
Your application will be placed on the agenda for the two weeks prior to the next regularly Meetings are scheduled for the third	y scheduled meeting date.

NOTE: You are hereby advised that no work should commence on the above property until such time as the Historic Preservation Commission has issued a Certificate of Appropriateness

Γο be filled out by the Applicαnt Separately describe each job to be performed on the exterior of the structure and/or property.
1a. What is being done? 1b. What materials are being used? 1c. What changes in appearance
will there be?
SEE ATTACHED DESCRIPTION AND SUPPORTING DOCUMENTS
,
2a. What is being done? 2b. What materials are being used? 2c. What changes in appearance will there be?
3a. What is being done? 3b. What materials are being used? 3c. What changes in appearance will there be?
be?

Attach drawings as described on page 2 to illustrate above described changes.

o be filled out by the Applicant (continued) eparately describe each job to be performed on the exterior of the structure and/or property.
a. What is being done? 4b. What materials are being used? 4c. What changes in appearance will there
e?
5a. What is being done? 5b. What materials are being used? 5c. What changes in appearance will there
be?
6a. What is being done? 6b. What materials are being used? 6c. What changes in appearance will there
be?
Attach drawings as described on page 2 to illustrate above described changes.

Attachment to Application for Certificate of Appropriateness (826-18th Street):

Applicant seeks to replace four windows on the south side of the property. The current windows are painted double-hung windows with an aluminum storm covering, and they are not able to be repaired. A photo of the four windows sought to be replaced are attached hereto as Exhibit A. The windows being replaced do not have any historical significance and are located in the part of the property that was an addition sometime between 1920 and 1957. See Exhibit C (1901, 1920 and 1957 maps showing building footprints). The new windows will be a vinyl replacement window made by Vector (formerly known as Vinylite) that are the same shape and size of the opening of the current windows. Similar Vector windows have been installed in other parts of the property and thus, the new window will exactly match many of the other windows in the property. See Exhibit B, showing the newer windows already installed. There will be no change in appearance from the current window other than in the color of the window, but color is not one of the items that the Commission is to consider in its review of an Application for Certificate of Appropriateness. Copies of information regarding the Vector windows sought to be installed are attached hereto as Exhibits D and E. Exhibits E and F provide supporting information for the energy efficiency of the Vector windows. Under City Ordinance section 58-31(c), the Commission is required to be "sympathetic to proposals using energy saving modifications."

The property at 826-18th Street underwent significant changes prior to Applicant's ownership of the property and prior to the designation of Sherman Hill as a historic district. The property no longer holds any historic significance due to these significant changes. The footprint was substantially altered, including a significant addition prior to 1957 which substantially changed the look of the property and removed essentially all of its historic value. See Exhibit C. Prior to Applicant's ownership of the property, the entire house was sided with steel siding which remains on the house today. Such siding further removed any historic value the property may have. According to Des Moines City Code section 58-31(c), the Commission "shall endeavor to approve proposals for alteration of structures of little historical, architectural and cultural value, except when such a proposal would seriously impair the historical values and character of the surrounding area." There is no evidence that the installation of vinyl windows in the nonoriginal, steel-sided portion of this property would "seriously impair" the surrounding area. In fact, the prior installed vinyl windows in the property have had no impact on the historical values and character of the surrounding area. See Exhibit G - Opinion Letter of Nelsen Appraisal Associates, Inc.

The values and character of the surrounding area would not be impacted, because there are a number of properties in Sherman Hill that have or appear to have vinyl windows or other window materials that are not wood. This includes, but is not limited to, the following properties:

Exhibit No.	Property Address	Description
Н	755-20 th Street	Large white vinyl window
		on side porch
I	717-17 th Street (Pleasant Court Apts.)	White vinyl windows
1		throughout
J	737, 727 and 707-18 th Street (Sherman	White vinyl windows at

	Hill Coop Housing Ass'n)	least on basement level
K	840-17 th Street	Vinyl windows
L	1939 Leyner	Vinyl windows
M	919-18 th Street	Vinyl windows
N	920-18 th Street	Vinyl windows
0	736-20 th Street	Vinyl or metal windows
P	840-18 th Street	Vinyl windows
Q	714-20 th Street	White vinyl windows in
		garage built in 2008
R	718-18 th Street	White vinyl windows
S	846-19 th Street	Metal windows on front
		porch area
T	824-18 th Street	Metal windows
U	1718 Crocker Street	Metal windows
V	611 – 16 th Street	Vinyl windows (white in
	(Murillo Flats)	some locations)

This list does not include the properties where the Commission directly approved and issued a Certificate of Appropriateness for vinyl windows. The properties that were given a Certificate to install vinyl windows were also multi-family properties:

Exhibit No.	Property Address	Description	
W	1913 Pleasant Street	Granted Certificate on September 17, 2003 to replace several windows with vinyl; replacement windows were white vinyl	
X	1917 Pleasant Street	Granted Certificate on September 17, 2003 to replace several windows with vinyl; replacement windows were white vinyl	
Y	713-20 th Street	Granted Certificate on September 17, 2003 to replace several windows with vinyl; replacement windows were white vinyl	
Z	649-651 – 20 th Street	Granted Certificate on May 12, 2005 to replace 9 of 40 windows with vinyl to match existing 31 windows that were already replaced with vinyl	

The fact that the value of this property or surrounding properties would not be adversely impacted by the installation of vinyl windows is bolstered by the fact that all of these homes have not decreased in value since the installation of the vinyl windows. Rather, it is properties in Sherman Hill that are dilapidated and not being cared for or updated at all (regardless of whether the windows are wood or vinyl) that adversely impact property values. There are a number of properties in Sherman Hill that drive down property values due to their unkempt nature. See Exhibit AA.


In addition, there is no prohibition against the use of vinyl in a historic district. In fact, in Preservation Brief No. 8, the National Park Service indicated that it would be acceptable to cover an entire historic residential building in aluminum or vinyl siding if (1) the existing siding is so deteriorated or damaged that it cannot be repaired; (2) the substitute material can be installed without reversibly damaging or obscuring the architectural features and trim of the building; and (3) the substitute material can match the historic material in size, profile and finish. The Brief goes onto state that if the aluminum or vinyl is being used to replace non-historic siding, then only the first two conditions need to be met to proceed with the new aluminum or vinyl siding. Although this Brief deals with siding, it would be non-sensical to say that an entire house could be covered in aluminum or vinyl under certain circumstances, but windows could not be replaced with vinyl under those same conditions. The windows sought to be replaced in this application are not original, historic windows, and they meet the first two conditions identified in the Brief. First, the existing windows are so damaged or deteriorated that they cannot be repaired. Second, the windows can be installed without reversibly damaging or obscuring the architectural features and trim of the building. The portion of the property where the windows are being installed does not have any architectural features and thus, the replacement of the windows are not damaging or obscuring such features. Accordingly, there is nothing in the design guidelines or Standards for Rehabilitation that prohibits the installation of vinyl windows in Sherman Hill. This is further bolstered by the fact that under these same guidelines and Standards, this Commission previously affirmatively approved the installation of vinyl windows. See Exhibits W-Z.

Existing Windows at 826 - 18th that need replaced immediately

826 # 3 South Lower window



826 #6 South upper windows









Examples of old windows next to new vinyl windows at 826











Old Windows




New Windows








Page 1 of 1



MINITE SINGE FILING WINDOWS



Vinylite Single Hung windows are a popular standard and are built to last a lifetime. They open and close with ease due to their heavy duty block and tackle system. These windows come in a wide range of sizes and configurations and can be combined with geometric shapes and radius units to create a sophisticated, custom look to fit any home.

FEATURES AND BENEFITS

- · Double wall thickness for exceptional strength and durability
- · Fusion welded main frame and sash for enhanced performance
- « 3/4" warm-edge insulated glass standard
- · Low-E with Argon available
- Easily removable screen standard on all operating units
- · Removable side load sash for easy cleaning
- Easy operating block and tackle balances
- · Full sush perimeter fin and pile weatherstrip
- · integral lift handle located on chackrall for easy operation

- · Internal grilles available
- · Continuous head and sill on multiple units up to 7'6" width
- · Metal reinforced check rall
- · Choice of three colors white, almond, and clay
- Color coordinated sash locks and keepers
- Available oak, pine, white or almond vinyl veneered extension jambs
- · Custom sizing available
- " Full complement of special shapes
- · Limited lifetime warranty*
- see warranty for details



Min-Max 1'6"-4'0"

2'6"-6'0"

Mint-Mex 3'0"-6'0" 3'0"-6'0"

Custom sizing available in 1/4". Increments,



Common Frame

MIN-MEDS 4'6"-7'6" 3'0"-6'0"



Min-Max 1'6"-5'0" 1'6"-6'0"



"Vinylite products are tested to American Architectural Manufacturers Association (AAMA) and National Fenestration Rating Council (NFRC) standards. Specific performance information is available in the technical section of our dealer specifications catalog."



www.vinylite.com





AAMA/WDMA/CSA 101/I.S.2/A440-05 TEST REPORT

Rendered to:

VINYLITE WINDOWS

SERIES/MODEL: Diplomat Single Hung PRODUCT TYPE: PVC Single Hung Window


Report No.: A2649.03-501-47

Test Dates: 07/15/10

Through: 10/14/10

Report Date: 04/08/11 Expiration Date: 10/14/14

1140 Lincoln Avenue Springdale, PA 15144 phone: 724-275-7100 fax: 724-275-7102 www.archtest.com





AAMA/WDMA/CSA 101/I.S.2/A440-05 TEST REPORT

SUMMARY OF RESULTS

	Summary Of Results		
Title	Test Specimen #1	Test Specimen #2	
	(Reinforced Meeting	(Reinforced Lock Rail	
	Rails)	and Bottom Rail)	
Primary Product Designator	H-R20 1219 x 1829	H-R25 1219 x 1829	
Filliary Froduct Designator	(48 x 72)	(48 x 72)	
Design Pressure	±960 Pa (±20.06 psf)	±1200 Pa (±25.08 psf)	
Operating Force (in motion)	89 N (20 lbf)	N/A	
Air Infiltration	0.5 L/s/m ² (0.10 cfm/ft ²)	N/A	
Water Penetration Resistance Test Pressure	260 Pa (5.43 psf)	N/A	
Uniform Load Structural Test Pressure	±1440 Pa (±30.09 psf)	±1800 Pa (±37.62 psf)	
Forced Entry Resistance	Grade 10	N/A	

	Summary Of Results		
Title	Title Test Specimen #3 (All Reinforced)		
Primary Product Designator	H-R30 1219 x 1829 (48 x 72)	H-R35 1118 x 1600 (44 x 63)	
Design Pressure	±1440 Pa (±30.09 psf)	±1680 Pa (±35.11 psf)	
Operating Force (in motion)	N/A	N/A	
Air Infiltration	N/A	N/A	
Water Penetration Resistance Test Pressure	N/A	N/A	
Uniform Load Structural Test Pressure	±2160 Pa (±45.14 psf)	±2520 Pa (±52.66 psf)	
Forced Entry Resistance	N/A	N/A	

Test Completion Date:

10/14/10

Reference must be made to Report No. A2649.03-501-47, dated 04/08/11 for complete test specimen description and data.

1140 Lincoln Avenue Springdale, PA 15144 phone: 724-275-7100 fax: 724-275-7102 www.archtest.com



AAMA/WDMA/CSA 101/I.S.2/A440-05 TEST REPORT

Rendered to:

VINYLITE WINDOWS 1020 International Drive Fergus Falls, Minnesota 56537

Report No.: A2649.03-501-47
Test Dates: 07/15/10
Through: 10/14/10
Report Date: 04/08/11

Expiration Date:

10/14/14

Project Summary: Architectural Testing, Inc. was contracted by Deceuninck North America, LLC to witness test on five Series/Model 310.300 SH, single hung windows at the Deceuninck North America, LLC test facility in Monroe, Ohio. The samples tested successfully met the performance requirements for the following ratings: Test Specimen #1: H-R20 1219 x 1829 (48 x 72); Test Specimen #2: H-R25 1219 x 1829 (48 x 72); Test Specimen #3: H-R30 1219 x 1829 (48 x 72); Test Specimen #4: H-R35 1118 x 1600 (44 x 63). This report is a reissue of the original Report No. A2649.01-501-47. This report is reissued in the name of Vinylite Windows through written authorization of Deceuninck North America LLC. Test specimen description and results are reported herein. The samples were provided by the client.

Test Specification: The test specimens were evaluated in accordance with AAMA/WDMA/CSA 101/I.S.2/A440-05, Standard/Specification for Windows, Doors, and Unit Skylights.

Test Specimen Description:

Series/Model: Diplomat Single Hung

Product Type: Poly Vinyl Chloride (PVC) Singe Hung Window

<u>Test Specimen #1</u>: H-R20 1219 x 1829 (48 x 72)

Overall Size: 1219 mm (48") wide by 1829 mm (72") high

Sash Size: 1140 mm (44-7/8") wide by 886 mm (34-7/8") high

Fixed Daylight Opening Size: 1092 mm (43") wide by 821 mm (32-5/16") high





Test Specimen #1: H-R20 1219 x 1829 (48 x 72) (Continued)

Screen Size: 1121 mm (44-1/8") wide by 876 mm (34-1/2") high

Overall Area: 2. m2 (24.0 ft2)

Reinforcement: The fixed meeting rail contained a custom-shaped extruded aluminum reinforcement, reference Drawing No. 10300057. The lock rail contained a custom-shaped extruded aluminum reinforcement, reference Drawing No. 6560.

<u>Test Specimen #2</u>: H-R25 1219 x 1829 (48 x 72)

Overall Size: 1219 mm (48") wide by 1829 mm (72") high

Sash Size: 1140 mm (44-7/8") wide by 886 mm (34-7/8") high

Fixed Daylight Opening Size: 1092 mm (43") wide by 821 mm (32-5/16") high

Screen Size: 1121 mm (44-1/8") wide by 876 mm (34-1/2") high

Overall Area: 2.2 m2 (24.0 ft2)

Reinforcement: The fixed meeting rail contained a custom-shaped extruded aluminum reinforcement, reference Drawing No. 10300057. The lock and bottom rail contained a custom-shaped extruded aluminum reinforcement, reference Drawing No. 6560

Test Specimen #3: H-R30 1219 x 1829 (48 x 72)

Overall Size: 1219 mm (48") wide by 1829 mm (72") high

Sash Size: 1140 mm (44-7/8") wide by 886 mm (34-7/8") high

Fixed Daylight Opening Size: 1092 mm (43") wide by 821 mm (32-5/16") high

Screen Size: 1121 mm (44-1/8") wide by 876 mm (34-1/2") high

Overall Area: 2.2 m2 (24.0 ft2)





Test Specimen #3: H-R30 1219 x 1829 (48 x 72) (Continued)

Reinforcement: The fixed meeting rail contained a custom-shaped extruded aluminum reinforcement, reference Drawing No. 10300057. The lock and bottom rail contained a custom-shaped extruded aluminum reinforcement, reference Drawing No. 6560. The stiles contained a custom-shaped extruded aluminum reinforcement, reference Drawing No. A6202.

Test Specimen #4: H-R35 1118 x 1600 (44 x 63)

Overall Size: 1118 mm (44") wide by 1600 mm (63") high

Sash Size: 1035 mm (40-3/4") wide by 771 mm (30-3/8") high

Fixed Daylight Opening Size: 991 mm (39") wide by 708 mm (27-7/8") high

Screen Size: 1019 mm (40-1/8") wide by 762 mm (30") high

Overall Area: 1.8 m² (19.3 ft²)

Reinforcement: The fixed meeting rail contained a custom-shaped extruded aluminum reinforcement, reference Drawing No. 10300057. The lock contained a custom-shaped extruded aluminum reinforcement, reference Drawing No. 6560.

The following descriptions apply to all specimens.

Finish: All PVC was white.

Frame Construction: The extruded PVC frame was of mitered and welded corner construction. The fixed meeting rail was secured to the jambs using two molded PVC rail anchors, one at each end. Each fixed meeting rail anchor was fastened to the jambs with two $\#8 \times 3/4$ " long screws, and to the meeting rail reinforcement with one $\#8 \times 1-1/2$ " long screw.

Sash Construction: The extruded PVC sash was of mitered and welded corner construction.





Weatherstripping:

Description	<u>Quantity</u>	Location	
0.187" backed by 0.290" high center fin pile	1 Row	Sill, and lock rail	
0.187" backed by 0.290" high center fin pile	2 Rows	Sash stiles	
0.350" Dia. offset foam filled, bulb with flexible leaf	1 Row	Bottom rail	

Glazing Details: The unit was glazed with nominal 3/4" thick sealed insulating glass fabricated from two sheets of 3/32" thick clear annealed glass separated by a U-shaped aluminum spacer, single sealed. The glass was set against a double sided adhesive tape and secured with rigid vinyl glazing beads. The fixed lite was interior glazed and the operable sash was exterior glazed.

Drainage:

Description	Quantity	Location
3/16" dia. weep hole	4	Fixed meeting rail (through two walls), two at each end
I-1/2" wide by leg height weep notch	2	Sill exterior screen leg, one at each end
2" wide by leg height weep notch	2	Sill interior screen leg, one at each end
3/8" wide by 3/16" high weep slot	4	Bottom rail (through two walls), two at each end
1-1/8" wide by 1/8" high weep slot	2	Sill, one at each end





Hardware:

<u>Description</u>	Quantity	Location
Block and tackle balance system with locking shoe	2	Jambs, one each
Metal pivot bar	2	Bottom rail, one at each end
Plastic tilt latch	2	Lock rail, one at each end
Composite sweep lock	2	Lock rail, one 7" in from each end engaging an extruded slot in the fixed rail

Screen Construction: The screen frame was constructed from formed aluminum. The corners were square-cut, and secured with plastic corner keys. Fiber mesh screen cloth was held-in-place with a flexible spline.

Installation: The unit was installed in a wood buck constructed from Spruce-Pine-Fir construction lumber and secured through the nail fin with #8 x 5/8" long pan head screws spaced approximately 11" on center, and starting in each corner. The nail fin perimeter was sealed with a silicone sealant. A nominal 1/8" gap was maintained at the perimeter between the test unit and wood buck.

Test Results: The temperature during testing was N/A. The results are tabulated as follows:

<u>Paragraph</u>	Title of Test - Test Method	<u>Results</u>	Allowed
Test Specime	en #1: H-R20 1219 x 1829 (48 x 72)		
5.3.1	Operating Force per ASTM E 2068 Initiate motion to open Maintain motion to open Initiate motion to close Maintain motion to close Latches Locks	89 N (20 lbf) 71 N (16 lbf) 89 N (20 lbf) 89 N (20 lbf) 9 N (2 lbf) 18 N (4 lbf)	Report Only 135 N (30 lbf) Report Only 135 N (30 lbf) 100 N (22.5 lbf) 100 N (22.5 lbf)



A2649.03-501-47 Page 6 of 11

Test Results: (Continued)

Paragraph	Title of Test - Test Method	Results	Allowed
Test Specia	<u>men #1</u> : H-R20 1219 x 1829 (48 x	72) (Continued)	
5.3.2.1	Air Leakage Resistance per AS	TM E 283	
	75 Pa (1.6 psf)	0.5 L/s/m ²	1.5 L/s/m ²
		(0.10cfm/ft^2)	$(0.3 \text{ cfm/ft}^2) \text{ max}$.

Note #1: The tested specimen meets (or exceeds) the performance levels specified in AAMA/WDMA/CSA 101/I.S.2/A440-05 for air leakage resistance.

5.3.3.2 Water Penetration Resistance per ASTM E 547 See Note #2

Note #2: The client opted to start at a pressure higher than the minimum required. Those results are listed under "Optional Performance".

5.3.4.2 Uniform Load Deflection per ASTM E 330
(Deflections were taken on the fixed meeting rail)
(Loads were held for 52 seconds)
720 Pa (15.05 psf) (positive)
6.9 mm (0.27")
See Note #3
720 Pa (15.05 psf) (negative)
8.0 mm (0.31")
See Note #3

Note #3: The deflections reported are not limited by AAMA/WDMA/CSA 101/I.S.2/A440-05 for this product designation. The deflection data is recorded in this report for special code compliance and information only.

5.3.4.3			4.4 mm (0.17") max. 4.4 mm (0.17") max.
5.3.5	Forced Entry Resistance per AST	M F 588	
	Туре: А	Grade: 10	
	Disassembly Test Tests A1-A5 Test A7 Sash Manipulation Test Lock Hardware Manipulation Tes	No entry No entry No entry No entry No entry st No entry	No entry No entry No entry No entry No entry



A2649.03-501-47 Page 7 of 11

Test Results: (Continued)

Paragraph	Title of Test - Test Method	Results	Allowed
Test Specim	<u>en #1</u> : H-R20 1219 x 1829 (48 x 72	2) (Continued)	
5.3.6.2	Thermoplastic Corner Weld Test	Meets as stated	Meets as stated
5.3.6.3	Deglazing Test In operating direction - 320 N (72	lbf)	
	Meeting rail Bottom rail	4.8 mm (0.19") 4.3 mm (0.17")	11.4 mm (0.45") 11.4 mm (0.45")
	In remaining direction - 230 N (52	2 lbf)	
	Left stile Right stile	2.3 mm (0.09") 2.3 mm (0.09")	11.4 mm (0.45") 11.4 mm (0.45")
Optional Per	formance		
4.4.2.6	Water Penetration Resistance per	ASTM E 547	
	(with and without insect screen) 260 Pa (5.43 psf)	No leakage	No leakage
4.4.2.6	Uniform Load Deflection per AS (Deflections were taken on the fix (Loads were held for 52 seconds)	xed meeting rail)	
	960 Pa (20.06 psf) (positive) 960 Pa (20.06 psf) (negative)	9.4 mm (0.37")	See Note #3 See Note #3
4.4.2.6	Uniform Load Structural per AST (Permanent sets were taken on th (Loads were held for 10 seconds) 1440 Pa (30.09 psf) (positive)	e fixed meeting rail)	4.4 mm (0.17") max.
	1440 Pa (30.09 psf) (negative)	<0.3 mm (<0.01")	4.4 mm (0.17") max.



A2649.03-501-47 Page 8 of 11

Test Results: (Continued)

<u>Paragraph</u> <u>Title of Test - Test Method</u> <u>Results</u> <u>Allowed</u>

Test Specimen #2: H-R25 1219 x 1829 (48 x 72)

Optional Performance

4.4.2.6 Uniform Load Deflection per ASTM E 330

(Deflections were taken on the fixed meeting rail)

(Loads were held for 52 seconds)

1200 Pa (25.08 psf) (positive)

12.3 mm (0.48")

See Note #3

1200 Pa (25.08 psf) (negative)

12.5 mm (0.49")

See Note #3

4.4.2.6 Uniform Load Structural per ASTM E 330

(Permanent sets were taken on the fixed meeting rail)

(Loads were held for 10 seconds)

1800 Pa (37.62 psf) (positive)

<0.3 mm (<0.01")

4.4 mm (0.17") max.

1800 Pa (37.62 psf) (negative)

0.3 mm (0.01")

4.4 mm (0.17") max.

Test Specimen #3: H-R30 1219 x 1829 (48 x 72)

Optional Performance

4.4.2.6 Uniform Load Deflection per ASTM E 330

(Deflections were taken on the fixed meeting rail)

(Loads were held for 52 seconds)

1440 Pa (30.09 psf) (positive)

15.3 mm (0.60")

See Note #3

1440 Pa (30.09 psf) (negative)

15.0 mm (0.59")

See Note #3

4.4.2.6 Uniform Load Structural per ASTM E 330

(Permanent sets were taken on the fixed meeting rail)

(Loads were held for 10 seconds)

2160 Pa (45.14 psf) (positive)

0.3 mm (0.01")

4.4 mm (0.17") max.

2160 Pa (45.14 psf) (negative)

0.9 mm (0.03")

4.4 mm (0.17") max.



A2649.03-501-47 Page 9 of 11

Test Results: (Continued)

<u>Paragraph</u> <u>Title of Test - Test Method</u> <u>Results</u> <u>Allowed</u>

Test Specimen #4: H-R35 1118 x 1600 (44 x 63)

Optional Performance

4.4.2.6

4.4.2.6 Uniform Load Deflection per ASTM E 330
(Deflections were taken on the fixed meeting rail)
(Loads were held for 52 seconds)
1680 Pa (35.11 psf) (positive) 11.0 mm (0.43") See Note #3
1680 Pa (35.11 psf) (negative) 10.3 mm (0.40") See Note #3

Uniform Load Structural per ASTM E 330

(Permanent sets were taken on the fixed meeting rail)
(Loads were held for 10 seconds)
2520 Pa (52.66 psf) (positive)
0.3 mm (0.01")
4.0 mm (0.16") max.
2520 Pa (52.66 psf) (negative)
0.3 mm (0.01")
4.0 mm (0.16") max.

Tape and film were used to seal against air leakage during structural testing. In our opinion, the tape and film did not influence the results of the test.

Drawing Reference: The test specimen drawings have been reviewed by Architectural Testing and are representative of the test specimen reported herein.

List of Official Observers:

Name
Company

Dean Erbaugh
Corey Eisenhuth
Deceuninck North America, LLC
Architectural Testing, Inc.



A2649.03-501-47 Page 10 of 11

This report is reissued in the name of Vinylite Windows through written authorization of Deceuninck North America LLC to whom the original report was rendered. The original Deceuninck North America LLC Report No. is A2649.01-501-47.

Detailed drawings, data sheets, representative samples of test specimens, a copy of this report, or other pertinent project documentation will be retained by Architectural Testing, Inc. for a period of four years from the original test date. At the end of this retention period, such materials shall be discarded without notice and the service life of this report will expire.

Results obtained are tested values and were secured by using the designated test methods. If test specimen contains glazing, no conclusions of any kind regarding the adequacy or inadequacy of the glass in the test specimen can be made. This report does not constitute certification of this product nor an opinion or endorsement by this laboratory. It is the exclusive property of the client so named herein and relates only to the specimen(s) tested. This report may not be reproduced, except in full, without the written approval of Architectural Testing, Inc.

For ARCHITECTURAL TESTING, INC.

Digitally Signed by: Corey A, Elsenhuth

Corey A. Eisenhuth Senior Technician Digitally Signed by: Lynn Georg

Lynn George

Director - Regional Operations

CAE:sld

Attachments (pages): This report is complete only when all attachments listed are included.

Appendix-A: Alteration Addendum (1)

Appendix-B: Drawings (15)



A2649.03-501-47 Page 11 of 11

Revision Log

Rev.#	Date	Page(s)	Revision(s)				
0	04/08/11	N/A	Original report issue – Reissued Report No. A2649.01-501-47 in the name of Vinylite Windows.				

This report and coefficient controlled decontent transfor ACL 00156, revered 07/05/09





Appendix A

Alteration Addendum


Note: No alterations were required.





Appendix B

Drawings



3//

......

TEM		DESCRIPTION	QUANTITY	PART NO.		FAB DWG. NO	SOURCE
NO.		NEAD		10008687		P8687F01	А
1		HEAD SILL	1 · 1	10008673		P8673F03	А
2		JAMBS	2	10008686		P8686F02	A
3		FIXED MEETING RAIL	1	10008515		10008515F01	Α
4		SCREEN RETAINER		10005258		STRAIGHT CUT	А
5		HORIZONTAL GLAZING BEAD	2	10008126		P8127F01	А
6		VERTICAL GLAZING BEAD		10008126		P8127F01	A
7 8		EGRESS SILL (Optional) / 8672 DP-50 (Optional)	1	P8674		P8674F01	А
		FIXED MEETING RAIL INSERT	 	10300057			000
9			2	121 MTG Rail Clip			1111
10		FIXED MEETING RAIL ANCHOR	AS REQ'D	290 HT. x 187 BK.			F.I
11_		CENTER FIN WEATHERSTRIPPING	AS REGID	Refer to Applicable Test Report			R
12_		3/4" INSULATED GLASS	AS REO'D	Refer to Applicable Test Report			T
13		GLAZING COMPOUND	AS REQ'D	Refer to Applicable Test Report			W
14		SETTING BLOCKS (REFER TO IG SUPPLIER GUIDELINES)	AS REUD	Quick - Tilt			C
_	BALANCE:	SYSTEM - CROSSBOW		B32			С
16		BALANCE SHOE					
17		211112	2	#8 X 1" PFH			
18		BALANCE SCREWS	1	3/8" x 3/4"			GGG
19		SCREEN ASEMBLY	2	#8 x 3/4" PPH			B, Z
20		FRAME SCREWS (Optional)	4	#8 x 1.00" PFH			B, Z
21		FIXED MEETING RAIL ANCHOR SCREW	2	#8 X 1 1/2" PPH			Z
22		MEETING RAIL INSERT SCREWS	2 EACH	G-A302-L1G153 / G-A302-L1G154			CC
23		OPTIONAL: MEETING RAIL GASKET	LZEAUTL	G-A302-E101001 0 1 100E E1010		deceuning	
24		D - 2-6	By	i		UGGGUIIIIG NORTH AMERI	I CA
Rev	Date	Description	CRB	Ÿ	MONRO		COPYRIGHT 2010
A	10/7/2003	ADDED HO PRODUCTS GASKET INFO		<u> </u>	NAME	143.000SH	-002
В	4/15/2005	ADDED DP-50 SILL 8672	JOEL	h	DWN BY:	CRB	8/10/2000
-				I	CHKD BY:		
)-	DWG NO:	143000SH-00	12 VI C

Architectural Testing


Test sample complies with these details.


Deviations are noted.


3/8


	×	000.095 SH -	009 - BIL	L OF MATERIALS			
ITEM		DESCRIPTION	QUANTITY	PART NO.		FAB DWG. NO	SOURCE
1		LOCK RAIL	1	10008845		10008845-F-09	А
2		STILES	1	10008842		10008842-F-11	A
3		LIFT RAIL	1	10008840		10008840-F-06	Α
4							
5		GLAZING BEAD	4	10008126		STRAIGHT CUT	Α
6							
7 8		SASH REINFORCEMENT	. 2	-10245 63 (% -6202 (% 6 ()		STRAIGHT CUT	TBD
9		SASH REINFORCEMENT	2	-6202 (5°6°C)		STRAIGHT CUT	0
10							
11		3/4" GLASS	1	REFER TO APPLICABLE TEST REF	PORT		TBD
12		GLAZING COMPOUND	AS REQ'D	REFER TO APPLICABLE TEST REF	PORT		TBD
13		SETTING BLOCKS (REFER TO IG SUPPLIER GUIDELINES)	AS REQ'D	REFER TO APPLICABLE TEST REF	PORT		TBD
14		CENTERFIN WEATHERSTRIPPING	AS REQ'D	.187 BK x .290 HT			F, HHHH
15				Archite	ctural	Testing	
16							
17				Test sample complie	s-with-t	rese-details	
18				Test sample complied by the sample complied to the sample complied t	arenot	<u>ed</u>	
19				47/19			
20		I and the sail and the secondary state the special party and the second state of the s		Reportil 710.073		CAE	
21				Date_10-19-10	Tech	1/1/-	С
22		PIVOT BAR	2	167626			B, Z
23		PIVOT BAR SCREWS	4	#8 x 3/8" PPH			
25		LOCK	1 OR 2	L-2922-WO8085			IIII
26		LOCK SCREWS	2 OR 4	#8 X 7/8" PFH PAINTED			B, Z
27		TILT LATCHES	2	201-195-283 (LEFT)/ 200-195-283 (RI	GHT)		1111
28							
29		INSTALLATION DETAILS	AS REQ'D	REFER TO APPLICABLE TEST REP	ORT		
30							L
,				7		deceuninc	K 🖾
REV	DATE	DESCRIPTION	BY	1	MONE	NORTH AMERI	COPYRIGHT 2010
					NAME:	000.095 S	
				CONFIDENTIAL	DWN BY:	JGM	9/9/2010
				UNPUBLISHED WORK © 2010	CHO BY:	850.51	
			 	DECEUNINCK NORTH AMERICA	DWG NO:	000095SH-	009.xls


THIS DOCUMENT CONTAINS PROPRIETARY AND CONFIDENTIAL INFORMATION. DO NOT COPY OR DISCLOSE THIS INFORMATION WITHOUT THE EXPRESS WRITTEN CONSENT OF DECEUNINCK NORTH AMERICA. DECEUNINCK NORTH AMERICA RESERVES THE RIGHT TO CHANGE THIS DRAWING AND ANY ASSOCIATED DOCUMENTS.

























ACTUAL SIZE NO EXPOSED SURFACE




Architectural Testing

Test sample complies with these details.

Deviations are noted.

Report# <u>40649</u>


19-10 Tech (15



.015 .040 6560-T6 .100 3.931 AMERICAN WINDOW & GLASS 33 .120 F **EVANSVILLE** IND. 095 KEEP. RAIL, SH LOCK RAIL REINF. 1-2 4 X 1 6/11/2004 M.M. AWG-4 國

	REVISIO	ON HISTORY	
REV.	DESCRIPTION	DATE	APPROYED
B		YR/WTH/DAY	1 1/2

CAD MAINTAINED. CHANGES SHALL BE INCORPORATED BY THE DESIGN ACTIVITY.




Architectural Testing

NOTES:

1. This print contains proprietory information. Do not copy without express written consent of DAYTON TECHNOLOGIES.

2. DAYTON TECHNOLOGIES reserves the right to change specifications.

UNLESS OTHERWISE SPECIFIED DIM ARE IN INCHES TOL ON ANGLE ± .XX	DESIGN BY: CRB DATE: 03/10/02	decenninck 231 Marin Earles Road OPEN AMERICA HORDE OHO (2000)
2 PL ± .XX 3 PL .XXX	DRAWN BY: CRB	NAMF:
INTERPRET DIM AND TOL PER ASME Y14.5M — 1994	DATE: 03/10/02	MEETING RAIL REINFORCEMENT
THIRD ANGLE PROJECTION	AUTH:	MILL HING KALL KEITH STIGHT
₩□	DAIE: FILENAME: H: pd/cad2/oluminum/ 103000575H_1.mi	B DWG, NO: 10300057 SCALE: 1:1 (Lbs/Ft) .318 SHEET: 1 OF 1



Test sample complies with these details.
Deviations are noted.

DAYTON EXTRUDED PLASTICS

SPRINGBORO. OHIO

Copyright 1994

NAME: 0093 SASH REINFORCEMENT

1) "x" = .030" radius 2) "y" = .010" radius

.103 Sq. In. Area: Weight: .123 Lb./Ft.

Standard Commercial Tolerances Apply Unless Otherwise Noted

MATERIAL(S): ALUMINUM DATE: DRAWN BY: 3/22/94 DAS CHECKED BY: DATE PART DIYG. NO: SCALE: 5 : 1 "A" A6202 CUST. PART NO: 6202 5202



AAMA/WDMA/CSA 101/I.S.2/A440-05 AND ANSI/AAMA/NWWDA 101/I.S.2-97 TEST REPORT

Rendered to:

VINYLITE WINDOWS

SERIES/MODEL: Diplomat Single Hung
PRODUCT TYPE: PVC Single Hung Window (Tape Glazed)

Title	Summary of Results
AAMA/WDMA/CSA 101/I.S.2/A440-05 Rating	H-R50 1118 x 1600 (44 x 63)
ANSI/AAMA/NWWDA 101/I.S.2-97 Rating	H-R50 44 x 63
Design Pressure	±2400 Pa (±50.16 psf)
Operating Force (in motion)	102 N (23 lbf)
Air Infiltration	
All illitiation	A/WDMA/CSA 101/I.S.2/A440-05 Rating H-R50 1118 x 1600 (44 x 63) BI/AAMA/NWWDA 101/I.S.2-97 Rating H-R50 44 x 63 Design Pressure ±2400 Pa (±50.16 psf) Operating Force (in motion) 102 N (23 lbf) Air Infiltration 0.65 L/s/m² (0.13 cfm/ft²) ter Penetration Resistance Test Pressure 360 Pa (7.52 psf)
Water Penetration Resistance Test Pressure	360 Pa (7.52 psf)
Uniform Load Structural Test Pressure	±3600 Pa (±75.24 psf)
Forced Entry Resistance	Grade 10

Test Completion Date:

12/13/07

Reference must be made to Report No. 79400.04-501-47, dated 04/08/11 for complete test specimen description and data.

1140 Lincoln Avenue Springdale, PA 15144 phone: 724-275-7100 fax: 724-275-7102 www.archtest.com



AAMA/WDMA/CSA 101/I.S.2/A440-05 and ANSI/AAMA/NWWDA 101/I.S.2-97 TEST REPORT

Rendered to:

VINYLITE WINDOWS 1020 International Drive Fergus Falls, Minnesota 56537

Report No.: 79400.04-501-47

Test Date:

12/12/07

And:

12/13/07

Report Date: Expiration Date:

04/08/11 12/12/11

Project Summary: Architectural Testing, Inc. was contracted by Deceuninck North America, LLC to witness testing on one Series/Model 142.094 SH DP50 Sill, single hung window at the Deceuninck North America, LLC test facility in Monroe, Ohio. The sample tested successfully met the performance requirements for an AAMA/WDMA/CSA 101/I.S.2/A440-05, H-R50 1118 x 1600 (44 x 63) and ANSI/AAMA/NWWDA 101/I.S.2-97, H-R50 44 x 63 rating. This report is a reissue of the original Report No. 79400.01-501-47. This report is reissued in the name of Vinylite Windows through written authorization of Deceuninck North America LLC. Test specimen description and results are reported herein. The sample was provided by the client.

Test Specifications: The test specimen was evaluated in accordance with the following:

AAMA/WDMA/CSA 101/I.S.2/A440-05, Standard/Specification for Windows, Doors, and Unit Skylights.

ANSI/AAMA/NWWDA 101/I.S.2-97, Voluntary Specifications for Aluminum, Vinyl (PVC) and Wood Windows and Glass Doors.

Test Specimen Description:

Series/Model: Diplomat Single Hung

Product Type: PVC Single Hung Window

1140 Lincoln Avenue Springdale, PA 15144 phone: 724-275-7100 fax: 724-275-7102 www.archtest.com





Test Specimen Description: (Continued)

Overall Size: 1118 mm (44") wide by 1600 mm (63") high

Operable Sash Size: 1035 mm (40-3/4") wide by 781 mm (30-3/4") high

Fixed Daylight Opening Size: 991 mm (39") wide by 714 mm (28-1/8") high

Screen Size: 1019 mm (40-1/8") wide by 752 mm (29-5/8") high

Overall Area: 1.8 m² (19.25 ft²)

Finish: All vinyl was white.

Frame Construction: The extruded PVC frame was of mitered and welded corner construction. The sill/jamb intersections were also mechanically fastened with two #8 x 13 mm (1/2") pan head screws, one at each corner. The fixed meeting rail was secured to each jamb using a plastic bracket (drawing #E-12512). Each bracket was secured to the jamb using two #8 x 22 mm (7/8") countersunk screws, and to the reinforcement in the fixed rail with one #8 x 25 mm (1") pan head screw.

Sash Construction: The extruded PVC sash was of mitered and welded corner construction.

Weatherstripping:

Description	<u>Quantity</u>	Location
4.7 mm (0.187") backed by 7.4 mm (0.290") high center fin pile	1 Row	Sill, lock rail
4.7 mm (0.187") backed by 7.4 mm (0.290") high center fin pile	2 Rows	Stiles
7.9 mm (5/16") dia. foam-filled vinyl jacket bulb with flexible land offset base		Bottom rail





Test Specimen Description: (Continued)

Glazing Details: The sash was exterior glazed and the fixed light was interior glazed with nominal 19 mm (3/4") thick, sealed insulating glass fabricated from two sheets of 3 mm (1/8") thick clear annealed glass and a butyl spacer material with stainless steel substrate, single sealed. All insulating glass was set against 13 mm (1/2") wide double-sided adhesive tape and secured with vinyl glazing beads.

Drainage;

Description	Quantity	Location										
9.5 mm (3/8") long by 4.8 mm (3/16") wide weepslot	4	Bottom rail, two in the glazing track and two on the bottom surface, all 83 mm (3-1/4") from each end										
19 mm (3/4") long by 4.8 mm glazing (3/16") wide weepslot	4	Fixed meeting rail, two in the track and two on the bottom surface all 194 mm (7-5/8") from each end										
51 mm (2") long by 3 mm (1/8") high weep notch	2	Sill exterior screen track leg, one at each end										
63 mm (2-1/2") long by 3 mm (1/8") high weep notch	2 .	Sill interior screen track leg, one at each end										
25 mm (1") long by 3.2 mm (1/8") wide weepslot	2	Sill, 89 mm (3-1/2") in from outside										

Hardware:

<u>Description</u>	Quantity	Location
Metal cam lock	2	Lock rail, one 3.5 mm (12") in from each end
Metal keeper	2	Fixed rail, one 298 mm (11-3/4") in from each end



79400.04-501-47 Page 4 of 8

Test Specimen Description: (Continued)

Hardware: (Continued)

Flush mounted plastic tilt latch	2	Top corners of sash
Metal pivot bars	2	Bottom corners of sash
Constant force Balance	2	Sash track of jambs

Reinforcement: The fixed rail contained a custom-shaped extruded aluminum reinforcement, reference Deceuninck Drawing No. A6189. All sash members contained a custom-shaped extruded aluminum reinforcement, reference Deceuninck Drawing No. 10006202.

Screen Construction: The screen was constructed from roll-formed aluminum, square-cut and secured with a plastic corner keys. The fiber mesh screen was held-in-place with a flexible vinyl spline.

Installation: The unit was installed into a wood buck constructed from Spruce-Pine-Fir construction lumber and secured through the nail fin using #8 x 16 mm (5/8") long pan head screws, spaced approximately 152 mm (6") on center, beginning in each corner.. The exterior nail fin perimeter was sealed with a silicone caulking.





Test Results: The temperature during testing was 21°C (70°F). The results are tabulated as follows:

Paragraph	Title of Test - Test Method	Results	<u>Allowed</u>
5.3.1 2.2.1.6.1		11 N (25 lbf) 02 N (23 lbf) 4 N (1 lbf) 22 N (5 lbf)	Report Only 135 N (30 lbf) 100 N (22.5 lbf) 100 N (22.5 lbf)
5.3.2.1 2.1.2	Air Leakage Resistance per ASTM I 75 Pa (1.6 psf)	E 283 0.65 L/s/m² (0.13 cfm/ft²)	1.5 L/s/m² (0.3 cfm/ft²) max.
Note #1: AAMA/WDM leakage resi	The tested specimen meets (or exce IA/CSA 101/I.S.2/A440-05 and AN stance.	eds) the performa SI/AAMA/NWWDA	nce levels specified in 101/1.S.2-9,7 for air
5.3.3.2 2.1.3	Water Penetration Resistance per A	STM E 547	See Note #2
5.3.4.2 2.1.4.1	Uniform Load Deflection per ASTN	1 E 330	See Note #2
5.3.4.3 2.1.4.2	Uniform Load Structural per ASTM	E.330	See Note #2
Note #2: T results are l	he client opted to start at a pressure isted under "Optional Performance".	higher than the mi	nimum required. Those
5.3.5 2.1.8	Forced Entry Resistance per ASTM	F 588	
2.1.8	Type: A	Grade: 10	
	Disassembly Test Tests A1 through A5 Test A7 Sash/Panel Manipulation Test Lock Hardware Manipulation Test	No entry No entry No entry No entry No entry	No entry No entry No entry No entry No entry





Test Results: (Continued)

Paragraph	Title of Test - Test Method	Results	Allowed
5.3.6.2 2.1.7	Thermoplastic Corner Weld Test	Meets as stated	Meets as stated
5.3.6.3 2.2.1.1.2	Deglazing Test In operating direction - 320 N (70	lbf)	
	Meeting rail Bottom rail	2.5 mm (0.10") 2.5 mm (0.10")	11.4 mm (0.45") 11.4 mm (0.45")
	In remaining direction - 230 N (5	0 lbf)	
	Left stile Right stile	2.0 mm (0,08") 1.8 mm (0.07")	11.4 mm (0.45") 11.4 mm (0.45")
Optional Pe	rformance		
4,4.2.6	Water Penetration Resistance per	· ASTM E 547	
4.3	(with and without insect screen) 360 Pa (7.52 psf)	No leakage	No leakage
4.4.2.6 4.4.1	Uniform Load Deflection per AS (Deflections were taken on the fi (Loads were held for 52 seconds	ixed meeting rail)	
	2400 Pa (50.16 psf) (positive) 2400 Pa (50.16 psf) (negative)	14 mm (0.56") 12 mm (0.49")	See Note #3 See Note #3

Note #3: The deflections reported are not limited by AAMA/WDMA/CSA 101/I.S.2/A440-05 and ANSI/AAMA/NWWDA 101/I.S.2-97 for this product designation. The deflection data is recorded in this report for special code compliance and information only.

4,4.2.6	Uniform Load Structural per AST	M E 330	
4.4.2	(Permanent sets were taken on the	fixed meeting rail)	
	(Loads were held for 10 seconds)		
	3600 Pa (75.24 psf) (positive)	2.0 mm (0.08")	4.1 mm (0.16") max.
	3600 Pa (75.24 psf) (negative)	1.0 mm (0.04")	4.1 mm (0.16") max.

Tape and film were used to seal against air leakage during structural testing. In our opinion, the tape and film did not influence the results of the test.



79400.04-501-47 Page 7 of 8

Drawing Reference: The test specimen drawings have been reviewed by Architectural Testing and are representative of the test specimen reported herein.

List of Official Observers:

Name

Company

Dean Erbaugh Corey Eisenhuth Deceuninck North America, LLC Architectural Testing, Inc.

This report is reissued in the name of Vinylite Windows through written authorization of Deceuninck North America LLC to whom the original report was rendered. The original Deceuninck North America LLC Report No. is 79400.01-501-47.

Detailed drawings, data sheets, representative samples of test specimens, a copy of this report, or other pertinent project documentation will be retained by Architectural Testing, Inc. for a period of four years from the original test date. At the end of this retention period, such materials shall be discarded without notice and the service life of this report will expire.

Results obtained are tested values and were secured by using the designated test methods. No conclusions of any kind regarding the adequacy or inadequacy of the glass in the test specimen can be made. This report does not constitute certification of this product nor an opinion or endorsement by this laboratory. It is the exclusive property of the client so named herein and relates only to the specimen(s) tested. This report may not be reproduced, except in full, without the written approval of Architectural Testing, Inc.

For ARCHITECTURAL TESTING, INC.

Digitally Signed by: Corey A, Elsenhuth

Corey A. Eisenhuth Senior Technician Digitally Signed by: Lynn Georg

Lynn George

Director - Regional Operations

CAE:sld

Attachments (pages): This report is complete only when all attachments listed are included.

Appendix-A: Alteration Addendum (1)

Appendix-B: Drawings (17)



79400.04-501-47 Page 8 of 8

Revision Log

Rev. #	Date	Page(s)	Revision(s)
0	04/08/11	N/A	Original report issue – Reissued Report No. 79400.01-501-47 in the name of Vinylite Windows.

This report produced from controlled document template NTL00246, revised 3 201707.





Appendix A

Alteration Addendum


Note: No alterations were required.







Appendix B


Drawings





	FAB DWG. NO SOURCE		02		10757-0 A	STRAIGHT CUT A				STRAIGHT CUT PROFILE DESIGN		- L	IBD	IBD	OBI S	999	180 Toop	Car Car	100 100 100 100 100 100 100 100 100 100	0	- -	25 SEAL	AAAA		-	AAAA	AAAA	TBD	OO = WHITE OR BEIGE W W W	TBD			TBD							CRB	142000SH-001.xls	
- BILL OF MATERIALS	PART NO.	10008676	10008672	10008675	10008511	10005470	10008263	10005104	10008487	10300084	79543 (INCLUDES GASKET)	.187 BK X .290 HT	REFER TO TEST REPORT	REFER TO TEST REPORT 9 8	EPORT B	3/8" X 3/4"	#8 X 1" PFH	#8 X 3" TRUSS HEAD	#8 X 3/4" PPH	עננ		#8 X 3/8" PFH			S-A485BMF23	S-TCOVER	S-SCOVEK	S-CSCREW	+	HKEY 562x345-00L / HKET 62x343-00X		17 = VVIII E 12.1 - DE.O.C.	#8 X10" PFH	17 = WHITE / 21 = BEIGE	DEEEB TO TEST REPORTS	KEFEK 10 1EST NET ON 1		MONROE, OH	NAME:	DWN BY:	CHACO EY:	DWG NO:
FRAME	QUANTITY	-	-	2	-	4	2	2	2	1	2	AS REQ'D	1	AS REQ'D	AS REQ'D	1	4	2	2		2	. 4		2	2	2	0 TO 8	2	2 TO 10	2	2	1	7	4	0.01	AS REQ'D		ВҮ				
142,000 SH-001 FRAME	DESCRIPTION	HEAD	יווס און וווס	1111	DAIL CALLESTING DAIL	CI AZING BEAD	SCOPEN DETAINED (2.3" DIECES)	- 1	SACH STOP	EIXED MEETING RAII REINFORGEMENT	EIXED MEETRING RAIL ANCHOR	CENTEREIN WEATHERSTRIPPING	3/4" INSTIT ATED GLASS	CI AZING COMPOLINO	SETTING BI OCKS, REFER TO IS SUPPLIFE GUIDELINES!	SCHING SECOND (NG ENTRE SECOND	MEETING RAII ANCHOR TO JAMB SCREWS	MEETING RAII RFINE TO JAMB SCREWS	SILL TO JAMB SCREWS (OPTIONAL)		SNUBBER (AT SILL)	SNUBBER (AT SILL) SCREWS		BALANCE SYSTEM	485" X 1.250" W/BMF PAD	112" TOP SPRING COVER	1/2" STACKING SPRING COVER	112" COVER MOUNTING SCREW	BALANCE SCREWS	H-KEY	H-KEY SCREWS	H-KEY COLORS FROM HILL DESIGN	KEEPER		H-KEY COLORS FROM HILL DESIGN	INSTALLATION DETAILS		DESCRIPTION				
	TEM	2 -	-	7 6	2	4 1	0	0		00 0	, ;	2 5	- 5	72	2 2	4 4	2,0	1,0	700	130	200	2 5	22	23	250	2 2	3 %	27	3,000	200	8	3	33	S	35	35	3	DEV	71.			













	000.094 SH BII	L OF MA	TERIALS		
ITEM NO.	DESCRIPTION	QUANTITY	PART NO.	FAB DWG. NO	SOURCE
26	LOCK RAIL	1	P8895	P8895-F-06	Α
27	STILE	2	P8875	P8875-F-09	A
28	BOTTOM LIFT RAIL	1	P8894	P8894F03	A
29					•
30	BULB SEAL	1	P8206	P8206F01	A
31	HORIZONTAL GLAZING BEAD	2	P5473	P5473F01	A
32	VERTICAL GLAZING BEAD	2	P5473	P5473F01	A
33	PIVOT BAR				
34	For Crossbow Balance	2	13037		D
35	For Coil Balance	2	13036		D
36	SASH REINFORCEMENT	1	A6202	A6202-F-01	EEE, 000
37	CENTER FIN WEATHERSTRIPPING	AS REQ'D	.187 BK. x .290 HT.		F, I
38					
39	LOCK ASSEMBLY	1 OR 2	L29990010002R - NO NIBS		D
	LOCK ASSEMBLY	1 OR 2	L29990110002R - NESTING NIBS		D .
	LOCK ASSEMBLY	1 OR 2	L2999001AM1R - NO NIBS / ALLIANCE LOGO)	D
	LOCK ASSEMBLY	. 1 OR 2	L2999011AM1R - NESTING NIBS / ALLIANCE	LOGO	D
40	TILT LATCH ASSEMBLY	2	78050 / 78150		U
41					
42	3/4" INSULATED GLASS	1			w
43	SETTING BLOCKS (Refer to IG Supplier Guidelines)	AS REQ'D	1/8" x 3/4"		T
44	GLAZING COMPOUND	AS REQ'D			B, Z
45	LOCK SCREW	2 OR 4	#8 x 3/4" PFH		1
46					B, Z
47	PIVOT BAR SCREW - RAILS	2 or 4	#6 x 3/8" PPH		B, Z
48	PIVOT BAR SCREW - STILES	2	#6 x 1/2 PFH		0,2
49					-
50					

Rev	Date	Description	Ву
Δ	10/28/1999	Updated Pivot Bar Callout	RH
B	11/16/1999	Updated Revision For Distribution	RH
	12/21/1999	UPDATED LOCK INFO.	CRB
<u></u>	1/19/2000	UPDATED LOCK INFO.	RH

TECHNO	CLOGIES
CO	PYRIGHT 1999
000.094 SH	
Н	6/29/1999
	Li
000094SH-001.xls	
	co 000,094 SH H






10002894_SH_don

RESERVES THE RIGHT TO CHANGE THIS DRAWING AND ANY ASSOCIATED DOCUMENTS.

	REVISION HISTOR	?Y	
REV	DESCRIPTION	DATE	APPROVED
S	CHANGED TO SINGLE PAGE FORNAT	05/ID/IC	845

CAD MAINTAINED. CHANGES SMALL BE INCORPORATED BY THE DESIGN ACTIVITY.



Test sample complies with these details. Deviations are noted.

NOTES:

L PERFECT FORM NOT REQUIRED AT MACL

2-UHLESS 0-11-1415C SPEETER -1020 AB NEW DVER EXECUTE HITERWILL HOLLOWS.

D. ALL BASIC DIVENSIONS INCORPORATED IN ENCINEERING CAD FILE.

2. PROFILE OF A SURFACE FEATURE CONTROLS ARE OVER FUND LENGTH BASIC.

5. SEE CURRENT REV OF ENA INF IN-1FOR EXPLANATION OF PART DEINTEICATION NUMBER

5. SEE CURRENT REV OF BINA PRODUCT DEVELOPMENT DIVE, NUMBER

5. SEE CURRENT REV OF BINA PRODUCT DEVELOPMENT DIVE, NUMBER

5. SEE CURRENT REV OF BINA PRODUCT DEVELOPMENT DIVE, NUMBER

5. SEE CURRENT REV OF BINA PRODUCT DEVELOPMENT OF MANUESER

5. LOUIS ENCERT OF PART PER STOCKAL AND CAN BE ANY HUMERIC CHARACTER.

6. EXPECTICATION DODGEOR REV NEW APPLIES.

9. PACKADIC STREND, REDIE CR. 015 -0.00 / -.005

THEN VERY DITTOUT MADDIFICATION.

THEN VERY DITTOUT MADDIFICATION.

THEN VERY DITTOUT MADDIFICATION.

1. LINSPECTED EXTERNAL RADIE CR. 015 -0.00 / -.005

THEN VERY DITTOUT MADDIFICATION.

1. LINSPECTED EXTERNAL RADIE CR. 015 -0.00 / -.005

THEN VERY DITTOUT MADDIFICATION.

1. LINSPECTED EXTERNAL RADIE CR. 015 -0.00 / -.005

THEN VERY DITTOUT MADDIFICATION.

1. LINSPECTED EXTERNAL RADIE CR. 015 -0.00 / -.005

THEN VERY DITTOUT MADDIFICATION.

1. LINSPECTED EXTERNAL RADIE CR. 015 -0.00 / -.005

THEN VERY DITTOUT MADDIFICATION.

1. LINSPECTED EXTERNAL RADIE CR. 015 -0.00 / -.005

THEN VERY DITTOUT MADDIFICATION.

1. LINSPECTED EXTERNAL RADIE CR. 015 -0.00 / -.005

THE PART TO CHANGE TILS.

1. LINSPECTED EXTERNAL RADIE CR. 015 -0.00 / -.005

THE PART TO CHANGE TILS.

1. SEED MAY ASSOCIATED DOCUMENT.

DECEUNINCK NORTH AMERICA

THIS DOCUMENT CONTAINS PROPRIETARY AND COMPOSITION, DO NOT COPY OR DISCLOSE THIS INFORMATION, DO NOT COPY OR DISCLOSE THIS INFORMATION MITHOUT THE EXPRESS PRITTEN CONSENT OF DECEMBER. NORTH AMERICA, DECEMBER NORTH AMERICA RESERVES THE RIGHT OF CHANGE THIS DRAFTIC AND ANY ASSOCIATED DOCUMENTS.

UNLESS OTHERWISE SPECIFIED
DIN ARE IN INCHES
TOLL ON ANGLES - 1°
2 PL - D.ONG" 3 PL - D.OOS'
INTERPRET DIM AND TOL PER ASME TH.SK - 1994

AUTH:

WH=

HIU

-ILENAME-

THIRD ANGLE PROJECTION **⊕**€

SEE SEPARATE PARTS LIST DESIGN BY: JOE L JATE: 97/06/12 JILAWN BY: JOE L DATE 97/06/12


DATE


DATE:

10008208_52.6gn

deceuninck 🕮 NORTH AMERICA BULB SEAL

STALE: B : 1 [LASS/F1.] .024 SHEET: 10F 1





Architectural Testing

Test sample complies with these details.

Deviations are opted.

DAYTO	N EXTRUDED	PLASTIC	CS
SPRINGBORO.	OHIO	Copyright	199

0093 SASH REINFORCEMENT


Notes:


1) "x" = .030" radius 2) "y" = .010" radius


Areo :	.103 Sq. In.
Weight :	.123 Lb./Ft.

Standard Commercial Tolerances Apply Unless Otherwise Noted

MATERIAL(S):		ALUMINUM	
DRAWN BY:	DAS	DATE: 3/22/94	
CHECKED BY		DATE:	
SCALE:	5 : 1 "A"	PART DIVC. NO: A6202	
CUST. PART NO:	6202	DIE NO: 6202	







Architectural Testing

Test sample complies with these details. Deviations are noted.

Report# <u>79400.01-501-47</u>
Date <u>(5-20-07</u> Tech <u>CAC</u>

