



Roll Call Number

Agenda Item Number

49 C

Date March 27, 2023

ABATEMENT OF PUBLIC NUISANCES AT 1544 DEAN AVENUE

WHEREAS, the property located at 1544 Dean Avenue, Des Moines, Iowa, was inspected by representatives of the City of Des Moines who determined that the main structure and garage structure in their present condition constitutes not only a menace to health and safety but are also public nuisances; and

WHEREAS, the Titleholder, Tyler Peterson, Mortgage Holder, Flagstar Bank, FSB and Mortgage Holder, MERS, were notified more than thirty days ago to repair or demolish the main structure and garage structure and as of this date have failed to abate the nuisances.

NOW THEREFORE, BE IT RESOLVED BY THE CITY COUNCIL OF THE CITY OF DES MOINES, IOWA:

The main structure and garage structure on the real estate legally described as The South 1/2 of Lot 12 in Block 43 in STEWART'S ADDITION to the City of Des Moines, an Official Plat, now included in and forming a part of the City of Des Moines, Polk County, Iowa, and locally known as 1544 Dean Avenue, have previously been declared public nuisances;

The City Legal Department is hereby authorized to file an action in district court to obtain a decree ordering the abatement of the public nuisances, and should the owner(s) fail to abate the nuisances, as ordered, that the matter may be referred to the Department of Engineering which will take all necessary action to demolish and remove said structures.

Moved by _____ to adopt.
Second by _____

FORM APPROVED:


Molly E. Tracy, Assistant City Attorney

COUNCIL ACTION	YEAS	NAYS	PASS	ABSENT
COWNIE				
BOESEN				
GATTO				
SHEUMAKER				
MANDELBAUM				
VOSS				
WESTERGAARD				
TOTAL				

MOTION CARRIED

APPROVED

Mavor


CERTIFICATE

I, Laura Baumgartner, City Clerk of said City hereby certify that at a meeting of the City Council of said City of Des Moines, held on the above date, among other proceedings the above was adopted.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my seal the day and year first above written.

City Clerk

490



Timestamp
Camera ENT

Network: Mar 8, 2023 at 2:17:20 PM CST
Des Moines

03-08-2023 02:17 PM



Timestamp
Camera ENT

Network: Mar 8, 2023 at 2:17:42 PM CST
Des Moines

03-08-2023 02:17 PM

Polk County Assessor

111 Court Avenue #195
Des Moines, IA 50309-0904


(515) 286-3014 Fax (515) 286-3386
polkweb@assess.co.polk.ia.us

Location					
Address	1544 DEAN AVE				
City	DES MOINES	Zip	50316	Jurisdiction	Des Moines
District/Parcel	040/05103-000-000	Geoparcel	7824-02-158-023	Status	<u>Active</u>
School	Des Moines	Nbhd/Pocket	DM15/Z	Tax Authority Group	DEM-C-DEM-77131
Submarket	Northeast Des Moines	Appraiser	Joseph Peterson 515-286-3011		

Map and Current Photos - 1 Record

Click on parcel to get a new listing

[Bigger Map](#) [Polk County GIS](#)
[Google Map](#) [Pictometry](#)



Historical Photos

Ownership - 1 Record

Ownership	Num	Name	Recorded	Book/Page
Title Holder	1	PETERSON, TYLER	2019-02-28	<u>17247/521</u>

Legal Description and Mailing Address

S 1/2 LOT 12 BLK 43 STEWARTS ADDITION	TYLER PETERSON 1544 DEAN AVE DES MOINES, IA 50316-3615
---------------------------------------	--

Current Values

Type	Class	Kind	Land	Bldg	Total
2022 Value	Residential	Full	\$8,200	\$63,700	\$71,900

Market Adjusted Cost Report

Auditor Adjustments to Value

Category	Name	Information
<u>2022 Homestead Credit</u>	PETERSON, TYLER	Application #405583

Zoning - 1 Record					
Zoning	Description			SF	Assessor Zoning
N3C	N3c Neighborhood District				Residential
<i>City of Des Moines Community Development Planning and Urban Design 515 283-4182 (2012-03-20)</i>					
Land					
Square Feet	6,100	Acres	0.140	Frontage	50.0
Depth	122.0	Topography	Normal	Shape	Rectangle
Vacancy	No	Unbuildable	No		
Residences - 1 Record					
Residence #1					
Occupancy	Single Family	Residence Type	1 Story Finished Attic	Building Style	Early 20s
Year Built	1886	Year Remodel	1994	Number Families	1
Grade	5+10	Condition	Below Normal	Total Square Foot Living Area	1174
Main Living Area	970	Attic Finished Area	204	Basement Area	306
Enclosed Porch Area	248	Foundation	Brick	Exterior Wall Type	Hardboard
Roof Type	Gable	Roof Material	Asphalt Shingle	Heating	Gas Forced Air
Air Conditioning	0	Number Bathrooms	1	Bedrooms	3
Rooms	6				

Grantor	Grantee	Instrument Date	Recording Date	Instrument Type	Book/Pg
VAN SICKLE YOUNG, BRANDY JEAN (Agent)	VAN SICKLE YOUNG, BRANDY JEAN	2018-08-14	2018-08-30	Affidavit	17059/463
VAN SICKLE, DIANE CHERYL	VAN SICKLE, JACK DANIEL				

Permits - 3 Records

Year	Type	Permit Status	Application	Reason	Reason1
Current	Permit	Complete	2022-10-25	Remove	GARAGE
2020	Pickup	Complete	2019-09-06	Correct Data	LISTING
1995	Pickup	Complete	1995-02-02		Remodel

Historical Values

Yr	Type	Class	Kind	Land	Bldg	Total
2021	Assessment Roll	Residential	Full	\$8,200	\$63,700	\$71,900
2020	Assessment Roll	Residential	Full	\$7,300	\$55,800	\$63,100
2019	Assessment Roll	Residential	Full	\$7,300	\$68,900	\$76,200
2017	Assessment Roll	Residential	Full	\$6,000	\$58,600	\$64,600
2015	Assessment Roll	Residential	Full	\$5,500	\$54,500	\$60,000
2013	Assessment Roll	Residential	Full	\$5,600	\$53,400	\$59,000
2011	Assessment Roll	Residential	Full	\$6,300	\$63,100	\$69,400
2009	Assessment Roll	Residential	Full	\$6,400	\$62,100	\$68,500
2007	Assessment Roll	Residential	Full	\$6,500	\$62,800	\$69,300
2005	Board Action	Residential	Full	\$6,400	\$55,600	\$62,000
2005	Assessment Roll	Residential	Full	\$6,400	\$55,600	\$62,000
2003	Assessment Roll	Residential	Full	\$5,610	\$49,010	\$54,620
			Adj	\$5,610	\$27,060	\$32,670
2001	Assessment Roll	Residential	Full	\$5,610	\$39,030	\$44,640
			Adj	\$5,610	\$17,900	\$23,510
1999	Board Action	Residential	Full	\$7,220	\$47,180	\$54,400
			Adj	\$7,220	\$25,230	\$32,450
1999	Assessment Roll	Residential	Full	\$7,220	\$50,900	\$58,120
			Adj	\$7,220	\$28,950	\$36,170
1997	Assessment Roll	Residential	Full	\$6,220	\$43,880	\$50,100
			Adj	\$6,220	\$21,930	\$28,150
1995	Assessment Roll	Residential	Full	\$5,650	\$39,850	\$45,500
			Adj	\$5,650	\$17,900	\$23,550
1993	Assessment Roll	Residential	Full	\$4,980	\$20,760	\$25,740
1989	Assessment Roll	Residential	Full	\$4,980	\$17,720	\$22,700

This template was last modified on Thu Jun 3 19:39:49 2021 .



City of Des Moines
 400 Robert D. Ray Drive
 Des Moines, IA 50309

Case Number: NUIS-2022-000182	
Notice of Violation	Case Type: Public Nuisance
	Case Opened: 08/18/2022
	Date of Notice: 11/22/2022
Date of Inspection: 10/10/2022	

FLAGSTAR BANK, FSB
 ALESSANDRO P DI NELLO, PRESIDENT
 5151 CORPORATE DR
 TROY MI 48098

Address of Property: **1544 DEAN AVE, DES MOINES IA 50316**
 Parcel Number: **782402158023**

Legal Description: **S 1/2 LOT 12 BLK 43 STEWARTS ADDITION**

Upon inspection of the property located at and locally known as the Address of Property shown above, located in Des Moines, Iowa, ("Property"), there was/were found to be violation(s) of the Municipal Code of the City of Des Moines, Iowa. It has been determined from that inspection that the dwelling currently constitutes a danger to health and safety to the public and is a public nuisance.

We are notifying you that you have the **time set out in this notice (below under "Compliance Due Date")** to abate the following violation(s) and complete the required remedial action.

VIOLATION(S)

Violation	Corrective Action	Compliance Due Date
------------------	--------------------------	----------------------------

Violation	Corrective Action	Compliance Due Date
<p>60-191 - Vacation and Abatement Any structure, dwelling, mobile home, equipment, or premise declared to be a public nuisance and unfit for human habitation or use, and so designated by the administrator, shall immediately be vacated and the nuisance shall be abated. The owner(s) shall be responsible for the vacation and abatement of the nuisance at such owner's expense. If not complied by such owner(s), then the nuisance may be abated by the city at the owner's expense. As indicated by section 60-19, the owner of land upon which a mobile home sits is a responsible owner in the event that mobile home is declared to be a public nuisance. Both the owner of the mobile home and the owner of the land upon which the mobile home sits shall be responsible for vacation and abatement of the public nuisance.</p>	<p>MAIN STRUCTURE THROUGHOUT/GARAGE THROUGHOUT</p> <p>Vacate the structure until nuisance has been abated and is no longer declared a public nuisance.</p> <p>*ALL ELECTRICAL, MECHANICAL, PLUMBING AND STUCTURAL COMPONENTS THROUGHOUT THE STRUCTURE ARE TO BE BROUGHT TO MINIMUM CODE REQUIREMENTS WITH NECESSARY PERMITS AS REQUIRED TO MEET THE CITY CODES.</p> <p>*IF CHOSEN TO DEMOLISH, PERMIT MUST BE PULLED AND FINALIZED.</p> <p>*UNABLE TO GAIN ACCESS INTO STRUCTURE, POSSIBLE MORE VIOLATIONS EXIST.</p>	12/06/2022
<p>60-192(10) - Dangerous Structure or Premise - Lack of Sufficient Construction For the purpose of this article, any structure or premise that has any or all of the conditions or defects described below shall be considered dangerous and a public nuisance: (10) Any building or structure, because of lack of sufficient or proper fire-resistance-rated construction, fire protection systems, electrical system, fuel connections, mechanical system, plumbing system or other cause, is determined by the administrator to be a threat to life or health.</p>	<p>MAIN STRUCTURE THROUGHOUT</p> <p>Vacate and secure the structure or premises, OR, demolish the structure after obtaining required demolition permit, OR, repair or replace insufficient construction, fire protection systems, electrical system, fuel connections, mechanical system, plumbing system or other cause that is a threat to life or health.</p> <p>*HAVE A LICENSED ELECTRICAL CONTRACTOR INSPECT THE ENTIRE ELECTRICAL SYSTEM AND PROVIDE A COPY OF THE FINDINGS. REPAIR AND/OR REPLACE ALL DEFICIENT ELEMENTS OF THE ELECTRICAL SYSTEM THROUGHOUT THE ENTIRE STRUCTURE. WORK MUST BE DONE BY A LICENSED ELECTRICAL CONTRACTOR.</p>	12/06/2022

Violation	Corrective Action	Compliance Due Date
<p>60-192(12) - Dangerous Structure or Premise - Abandoned Whenever the condition or maintenance of the premise creates a nuisance that endangers the health and safety of the residents or public.</p>	<p>MAIN STRUCTURE THROUGHOUT</p> <p>Demolish the abandoned structure or premises, OR, repair, replace, or renovate the abandoned building or structure to a state such that it is no longer a nuisance or hazard to the public.</p>	12/06/2022
<p>60-192(15) - Unsafe or dangerous structure Any structure that the administrator determines is unfit for human occupancy meaning that such structure is unsafe, unlawful or, because of the degree to which the structure is in disrepair or lacks maintenance, is unsanitary, vermin or rat infested, contains filth and contamination, or lacks ventilation, illumination, sanitary or heating facilities or other essential equipment required by this code, or because the location of the structure constitutes a hazard to the occupants of the structure or to the public.</p>	<p>GARAGE THROUGHOUT</p> <p>Repair or replace the unsafe or unlawful structure OR demolish the structure.</p> <p>*CLEAN SMOKE DAMAGE FROM WALLS AND THEN PAINT TO MATCH.</p> <p>*SEVERE SMOKE AND FIRE DAMAGE. REPLACE ALL THAT IS DAMAGED. BUILDING PERMIT REQUIRED.</p> <p>*ANY UNSANITARY CONDITIONS SHOULD BE CORRECTED AND STRUCTURE CLEANED TO ENSURE HEALTH AND SAFETY OF OCCUPANTS BEFORE STRUCTURE IS REOCCUPIED.</p> <p>*DUCTWORK SHOULD BE INSPECTED AND CLEANED TO REMOVE ANY SMOKE/FIRE DAMAGE.</p>	12/06/2022

Violation	Corrective Action	Compliance Due Date
<p>60-192(15) - Unsafe or dangerous structure Any structure that the administrator determines is unfit for human occupancy meaning that such structure is unsafe, unlawful or, because of the degree to which the structure is in disrepair or lacks maintenance, is unsanitary, vermin or rat infested, contains filth and contamination, or lacks ventilation, illumination, sanitary or heating facilities or other essential equipment required by this code, or because the location of the structure constitutes a hazard to the occupants of the structure or to the public.</p>	<p>MAIN STRUCTURE THROUGHOUT</p> <p>Repair or replace the unsafe or unlawful structure OR demolish the structure.</p> <p>*CLEAN SMOKE DAMAGE FROM WALLS AND THEN PAINT TO MATCH.</p> <p>*SEVERE SMOKE AND FIRE DAMAGE. REPLACE ALL THAT IS DAMAGED. BUILDING PERMIT REQUIRED.</p> <p>*ANY UNSANITARY CONDITIONS SHOULD BE CORRECTED AND STRUCTURE CLEANED TO ENSURE HEALTH AND SAFETY OF OCCUPANTS BEFORE STRUCTURE IS REOCCUPIED.</p> <p>*DUCTWORK SHOULD BE INSPECTED AND CLEANED TO REMOVE ANY SMOKE/FIRE DAMAGE.</p>	12/06/2022
<p>60-192(2) - Dangerous Structure or Premise - Walking Surface For the purpose of this article, any structure or premise that has any or all of the conditions or defects described below shall be considered dangerous and a public nuisance: (2) The walking surface of any aisle, passageway, stairway, exit or other means of egress is so warped, worn or loose, torn or otherwise unsafe so as to not provide safe and adequate means of egress.</p>	<p>MAIN STRUCTURE THROUGHOUT</p> <p>Repair or replace walking surface of any aisle, passageway, stairway, exit, or other means of egress that is unsafe and does not provide safe and adequate means of egress.</p> <p>*REPAIR AND REPLACE ANY AND ALL DAMAGED EXTERIOR DOORS AND DOOR JAMS AND MUST BE IN GOOD WORKING ORDER.</p> <p>*REPAIR AND REPLACE ANY AND ALL DAMAGED FLOORING THROUGHOUT THE STRUCTURE.</p> <p>*OBTAIN FINAL ON PERMIT AND REPAIR OR REPLACE DAMAGE DECKING, RAILING, JOIST, BEAMS, HANDRAIL, AND STAIRS. PERMIT REQUIRED FOR REPLACEMENT OF ALL STRUCTURAL COMPONENTS.</p>	12/06/2022

Violation	Corrective Action	Compliance Due Date
<p>60-192(3) - Dangerous Structure or Premise - Damaged</p> <p>For the purpose of this article, any structure or premise that has any or all of the conditions or defects described below shall be considered dangerous and a public nuisance:</p> <p>(3) Any portion of a building, structure or appurtenance that has been damaged by fire, earthquake, wind, flood, deterioration, neglect, abandonment, vandalism or by any other cause to such an extent that it is likely to partially or completely collapse, or to become detached or dislodged.</p>	<p>GARAGE THROUGHOUT</p> <p>Repair or replace any portion of a building, structure or appurtenance that has been damaged by fire, earthquake, wind, flood, deterioration, neglect, abandonment, vandalism or by any other cause to such an extent that it is likely to partially or completely collapse, or to become detached or dislodged.</p> <p>*REPAIR OR REPLACE ALL DAMAGED WALL COMPONENTS, INCLUDING: FRAMING, SHEETING, AND COVERINGS. PERMIT REQUIRED FOR REPLACEMENT OF ALL STRUCTURAL COMPONENTS.</p> <p>*REPAIR/REPLACE ANY MISSING, ROTTED OR DAMAGED WINDOWS/WINDOW FRAMES. ANY REPAIRS TO THE STRUCTURE WILL REQUIRE A BUILDING PERMIT.</p> <p>*SCRAPE LOOSE PAINT, REPAIR WHERE NEEDED AND PAINT TO MATCH.</p> <p>*REPAIR/REPLACE ANY BROKEN, MISSING, DAMAGED OR ROTTED DRYWALL/PANELING/WALL COVERING. ANY REPAIRS TO THE STRUCTURE WILL REQUIRE A BUILDING PERMIT.</p> <p>*REPLACE ALL SMOKE DETECTORS PER CODE AFTER FIRE.</p> <p>*REPAIR AND REPLACE ANY AND ALL DAMAGED FLOORING THROUGHOUT THE STRUCTURE.</p> <p>*REPAIR OR REPLACE ALL DAMAGED OR MISSING DOORS AND OR JAMS AS NEEDED. OBTAIN FINAL ON PERMIT REQUIRED IF CHANGING OPENING SIZE</p> <p>*REPAIR OR REPLACE ALL DAMAGED OR MISSING WINDOWS AS NEEDED. PERMIT REQUIRED IF CHANGING OPENING SIZE.</p>	<p>12/06/2022</p>

Violation	Corrective Action	Compliance Due Date
<p>60-192(3) - Dangerous Structure or Premise - Damaged</p> <p>For the purpose of this article, any structure or premise that has any or all of the conditions or defects described below shall be considered dangerous and a public nuisance:</p> <p>(3) Any portion of a building, structure or appurtenance that has been damaged by fire, earthquake, wind, flood, deterioration, neglect, abandonment, vandalism or by any other cause to such an extent that it is likely to partially or completely collapse, or to become detached or dislodged.</p>	<p>MAIN STRUCTURE THROUGHOUT</p> <p>Repair or replace any portion of a building, structure or appurtenance that has been damaged by fire, earthquake, wind, flood, deterioration, neglect, abandonment, vandalism or by any other cause to such an extent that it is likely to partially or completely collapse, or to become detached or dislodged.</p> <p>*REPAIR OR REPLACE ALL DAMAGED WALL COMPONENTS, INCLUDING: FRAMING, SHEETING, AND COVERINGS. PERMIT REQUIRED FOR REPLACEMENT OF ALL STRUCTURAL COMPONENTS.</p> <p>*REPAIR/REPLACE ANY MISSING, ROTTED OR DAMAGED WINDOWS/WINDOW FRAMES. ANY REPAIRS TO THE STRUCTURE WILL REQUIRE A BUILDING PERMIT.</p> <p>*SCRAPE LOOSE PAINT, REPAIR WHERE NEEDED AND PAINT TO MATCH.</p> <p>*REPAIR/REPLACE ANY BROKEN, MISSING, DAMAGED OR ROTTED DRYWALL/PANELING/WALL COVERING. ANY REPAIRS TO THE STRUCTURE WILL REQUIRE A BUILDING PERMIT.</p> <p>*REPLACE ALL SMOKE DETECTORS PER CODE AFTER FIRE.</p> <p>*REPAIR AND REPLACE ANY AND ALL DAMAGED FLOORING THROUGHOUT THE STRUCTURE.</p> <p>*REPAIR OR REPLACE ALL DAMAGED OR MISSING DOORS AND OR JAMS AS NEEDED. OBTAIN FINAL ON PERMIT REQUIRED IF CHANGING OPENING SIZE</p> <p>*REPAIR OR REPLACE ALL DAMAGED OR MISSING WINDOWS AS NEEDED. PERMIT REQUIRED IF CHANGING OPENING SIZE.</p>	<p>12/06/2022</p>

Violation	Corrective Action	Compliance Due Date
<p>60-192(6) - Dangerous Structure or Premise - Unsafe</p> <p>For the purpose of this article, any structure or premise that has any or all of the conditions or defects described below shall be considered dangerous and a public nuisance:</p> <p>(6) The building or structure, or any portion thereof, is clearly unsafe for its use and occupancy.</p>	<p>GARAGE THROUGHOUT</p> <p>Vacate and secure any structure that is clearly unsafe for its use and occupancy, OR, demolish the structure after obtaining required permit, OR repair or replace the building or structure, or any portion thereof, that is clearly unsafe for its use and occupancy.</p>	12/06/2022
<p>60-192(6) - Dangerous Structure or Premise - Unsafe</p> <p>For the purpose of this article, any structure or premise that has any or all of the conditions or defects described below shall be considered dangerous and a public nuisance:</p> <p>(6) The building or structure, or any portion thereof, is clearly unsafe for its use and occupancy.</p>	<p>MAIN STRUCTURE THROUGHOUT</p> <p>Vacate and secure any structure that is clearly unsafe for its use and occupancy, OR, demolish the structure after obtaining required permit, OR repair or replace the building or structure, or any portion thereof, that is clearly unsafe for its use and occupancy.</p>	12/06/2022

Violation	Corrective Action	Compliance Due Date
<p>60-192(9) - Dangerous Structure or Premise - Unsanitary, Unfit for Habitation</p> <p>For the purpose of this article, any structure or premise that has any or all of the conditions or defects described below shall be considered dangerous and a public nuisance:</p> <p>(9) A building or structure, used or intended to be used for dwelling purposes, because of inadequate maintenance, dilapidation, decay, damage, faulty construction or arrangement, inadequate light, ventilation, mechanical or plumbing system, or otherwise is determined by the administrator to be unsanitary, unfit for human habitation or in such a condition that is likely to cause sickness of disease.</p>	<p>MAIN STRUCTURE THROUGHOUT</p> <p>Vacate and secure the structure or premises, OR, repair, replace, and/or sanitize any building or structure determined to be unsanitary, unfit for human habitation, or in such a condition that it is likely to cause sickness or disease.</p> <p>*HAVE A LICENSED MECHANICAL CONTRACTOR INSPECT THE ENTIRE MECHANICAL SYSTEM AND PROVIDE A COPY OF THE FINDING. REPAIR AND/OR REPLACE ALL DEFICIENT ELEMENTS OF THE MECHANICAL SYSTEM THROUGHOUT THE ENTIRE STRUCTURE. WORK MUST BE DONE BY A LICENSED MECHANICAL CONTRACTOR.</p> <p>*HAVE A LICENSED PLUMBING CONTRACTOR INSPECT THE ENTIRE PLUMBING SYSTEM AND PROVIDE A COPY OF THE FINDINGS. REPAIR AND/OR REPLACE ALL DEFICIENT ELEMENTS OF THE PLUMBING SYSTEM THROUGHOUT THE ENTIRE STRUCTURE. WORK MUST BE DONE BY A LICENSED PLUMBING CONTRACTOR.</p>	12/06/2022
<p>60-194 - Defacing and Removing Placard</p> <p>No person shall deface or remove the placard, except as authorized by the administrator.</p>	<p>Replace or restore defaced or removed placard.</p>	12/06/2022

If not occupied, the structure is to remain vacant and unoccupied until occupancy is authorized by this office.

If the structure is occupied, it must be **vacated immediately**. If procedures to vacate the premises are not undertaken immediately upon receipt of this notice, and in no case later than seven (7) days, the City may seek a court order directing you to vacate the structure, pursuant to Section 60-191 and 60-192 of the Municipal Code of the City of Des Moines, Iowa.

ALL ELECTRICAL, MECHANICAL, PLUMBING, AND STRUCTURAL COMPONENTS IN NEED OF REPLACEMENT OR REPAIR, ARE TO BE BROUGHT TO MINIMUM CODE REQUIREMENTS WITH NECESSARY PERMITS AS REQUIRED TO MEET CITY CODES. Should you have any questions regarding permits, contact the Permit and Development Center at (515) 283-4200. All work performed by a contractor or you must be completed in a workmanlike manner.

If you plan to renovate the structure and it has been vacant for over a year, there may be zoning issues, which may affect the renovation plans. Please contact the Development Zoning Division at (515) 283-4207 to determine if there is anything you should be aware of.

If you decide to demolish the building or take the structure down, you will need a demolition permit.

If you cannot renovate or demolish the structure, contact me to discuss allowing the City to remove the structure. There will be costs billed out to you and possibly a judgment. It may be cheaper for you to remove the structure yourself.

If you no longer own this property, please let us know.

Unpaid costs may be collected by personal judgment, collection, or assessment to be collected as a property tax.

Should you have any questions, feel free to call. I can usually be reached between 8:00 a.m. and 9:00 a.m., Monday through Friday.

Thank you for your help,

Respectfully,



Kevin Pyles
Neighborhood Inspector
Neighborhood Services
602 Robert D. Ray Drive, Des Moines, IA 50309
(515) 283-4122
KEPyles@dmgov.org

49c



City of Des Moines
400 Robert D. Ray Drive
Des Moines, IA 50309

Case Number: NUIS-2022-000182	
Notice of Violation	Case Type: Public Nuisance
	Case Opened: 08/18/2022
	Date of Notice: 11/22/2022
Date of Inspection: 10/10/2022	

MORTGAGE ELECTRONIC REGISTRATION SYSTEMS, INC
CT CORPORATION SYSTEM, REG. AGENT
4701 COX ROAD STE. 285
GLEN ALLEN VA 23060

Address of Property: **1544 DEAN AVE, DES MOINES IA 50316**
Parcel Number: **782402158023**

Legal Description: **S 1/2 LOT 12 BLK 43 STEWARTS ADDITION**

Upon inspection of the property located at and locally known as the Address of Property shown above, located in Des Moines, Iowa, ("Property"), there was/were found to be violation(s) of the Municipal Code of the City of Des Moines, Iowa. It has been determined from that inspection that the dwelling currently constitutes a danger to health and safety to the public and is a public nuisance.

We are notifying you that you have the **time set out in this notice (below under "Compliance Due Date")** to abate the following violation(s) and complete the required remedial action.

VIOLATION(S)

Violation	Corrective Action	Compliance Due Date
------------------	--------------------------	----------------------------

Violation	Corrective Action	Compliance Due Date
<p>60-191 - Vacation and Abatement Any structure, dwelling, mobile home, equipment, or premise declared to be a public nuisance and unfit for human habitation or use, and so designated by the administrator, shall immediately be vacated and the nuisance shall be abated. The owner(s) shall be responsible for the vacation and abatement of the nuisance at such owner's expense. If not complied by such owner(s), then the nuisance may be abated by the city at the owner's expense. As indicated by section 60-19, the owner of land upon which a mobile home sits is a responsible owner in the event that mobile home is declared to be a public nuisance. Both the owner of the mobile home and the owner of the land upon which the mobile home sits shall be responsible for vacation and abatement of the public nuisance.</p>	<p>MAIN STRUCTURE THROUGHOUT/GARAGE THROUGHOUT</p> <p>Vacate the structure until nuisance has been abated and is no longer declared a public nuisance.</p> <p>*ALL ELECTRICAL, MECHANICAL, PLUMBING AND STUCTURAL COMPONENTS THROUGHOUT THE STRUCTURE ARE TO BE BROUGHT TO MINIMUM CODE REQUIREMENTS WITH NECESSARY PERMITS AS REQUIRED TO MEET THE CITY CODES.</p> <p>*IF CHOSEN TO DEMOLISH, PERMIT MUST BE PULLED AND FINALIZED.</p> <p>*UNABLE TO GAIN ACCESS INTO STRUCTURE, POSSIBLE MORE VIOLATIONS EXIST.</p>	12/06/2022
<p>60-192(10) - Dangerous Structure or Premise - Lack of Sufficient Construction For the purpose of this article, any structure or premise that has any or all of the conditions or defects described below shall be considered dangerous and a public nuisance: (10) Any building or structure, because of lack of sufficient or proper fire-resistance-rated construction, fire protection systems, electrical system, fuel connections, mechanical system, plumbing system or other cause, is determined by the administrator to be a threat to life or health.</p>	<p>MAIN STRUCTURE THROUGHOUT</p> <p>Vacate and secure the structure or premises, OR, demolish the structure after obtaining required demolition permit, OR, repair or replace insufficient construction, fire protection systems, electrical system, fuel connections, mechanical system, plumbing system or other cause that is a threat to life or health.</p> <p>*HAVE A LICENSED ELECTRICAL CONTRACTOR INSPECT THE ENTIRE ELECTRICAL SYSTEM AND PROVIDE A COPY OF THE FINDINGS. REPAIR AND/OR REPLACE ALL DEFICIENT ELEMENTS OF THE ELECTRICAL SYSTEM THROUGHOUT THE ENTIRE STRUCTURE. WORK MUST BE DONE BY A LICENSED ELECTRICAL CONTRACTOR.</p>	12/06/2022

Violation	Corrective Action	Compliance Due Date
<p>60-192(12) - Dangerous Structure or Premise - Abandoned Whenever the condition or maintenance of the premise creates a nuisance that endangers the health and safety of the residents or public.</p>	<p>MAIN STRUCTURE THROUGHOUT</p> <p>Demolish the abandoned structure or premises, OR, repair, replace, or renovate the abandoned building or structure to a state such that it is no longer a nuisance or hazard to the public.</p>	12/06/2022
<p>60-192(15) - Unsafe or dangerous structure Any structure that the administrator determines is unfit for human occupancy meaning that such structure is unsafe, unlawful or, because of the degree to which the structure is in disrepair or lacks maintenance, is unsanitary, vermin or rat infested, contains filth and contamination, or lacks ventilation, illumination, sanitary or heating facilities or other essential equipment required by this code, or because the location of the structure constitutes a hazard to the occupants of the structure or to the public.</p>	<p>GARAGE THROUGHOUT</p> <p>Repair or replace the unsafe or unlawful structure OR demolish the structure.</p> <p>*CLEAN SMOKE DAMAGE FROM WALLS AND THEN PAINT TO MATCH.</p> <p>*SEVERE SMOKE AND FIRE DAMAGE. REPLACE ALL THAT IS DAMAGED. BUILDING PERMIT REQUIRED.</p> <p>*ANY UNSANITARY CONDITIONS SHOULD BE CORRECTED AND STRUCTURE CLEANED TO ENSURE HEALTH AND SAFETY OF OCCUPANTS BEFORE STRUCTURE IS REOCCUPIED.</p> <p>*DUCTWORK SHOULD BE INSPECTED AND CLEANED TO REMOVE ANY SMOKE/FIRE DAMAGE.</p>	12/06/2022

Violation	Corrective Action	Compliance Due Date
<p>60-192(15) - Unsafe or dangerous structure Any structure that the administrator determines is unfit for human occupancy meaning that such structure is unsafe, unlawful or, because of the degree to which the structure is in disrepair or lacks maintenance, is unsanitary, vermin or rat infested, contains filth and contamination, or lacks ventilation, illumination, sanitary or heating facilities or other essential equipment required by this code, or because the location of the structure constitutes a hazard to the occupants of the structure or to the public.</p>	<p>MAIN STRUCTURE THROUGHOUT</p> <p>Repair or replace the unsafe or unlawful structure OR demolish the structure.</p> <p>*CLEAN SMOKE DAMAGE FROM WALLS AND THEN PAINT TO MATCH.</p> <p>*SEVERE SMOKE AND FIRE DAMAGE. REPLACE ALL THAT IS DAMAGED. BUILDING PERMIT REQUIRED.</p> <p>*ANY UNSANITARY CONDITIONS SHOULD BE CORRECTED AND STRUCTURE CLEANED TO ENSURE HEALTH AND SAFETY OF OCCUPANTS BEFORE STRUCTURE IS REOCCUPIED.</p> <p>*DUCTWORK SHOULD BE INSPECTED AND CLEANED TO REMOVE ANY SMOKE/FIRE DAMAGE.</p>	12/06/2022
<p>60-192(2) - Dangerous Structure or Premise - Walking Surface For the purpose of this article, any structure or premise that has any or all of the conditions or defects described below shall be considered dangerous and a public nuisance: (2) The walking surface of any aisle, passageway, stairway, exit or other means of egress is so warped, worn or loose, torn or otherwise unsafe so as to not provide safe and adequate means of egress.</p>	<p>MAIN STRUCTURE THROUGHOUT</p> <p>Repair or replace walking surface of any aisle, passageway, stairway, exit, or other means of egress that is unsafe and does not provide safe and adequate means of egress.</p> <p>*REPAIR AND REPLACE ANY AND ALL DAMAGED EXTERIOR DOORS AND DOOR JAMS AND MUST BE IN GOOD WORKING ORDER.</p> <p>*REPAIR AND REPLACE ANY AND ALL DAMAGED FLOORING THROUGHOUT THE STRUCTURE.</p> <p>*OBTAIN FINAL ON PERMIT AND REPAIR OR REPLACE DAMAGE DECKING, RAILING, JOIST, BEAMS, HANDRAIL, AND STAIRS. PERMIT REQUIRED FOR REPLACEMENT OF ALL STRUCTURAL COMPONENTS.</p>	12/06/2022

Violation	Corrective Action	Compliance Due Date
<p>60-192(3) - Dangerous Structure or Premise - Damaged</p> <p>For the purpose of this article, any structure or premise that has any or all of the conditions or defects described below shall be considered dangerous and a public nuisance:</p> <p>(3) Any portion of a building, structure or appurtenance that has been damaged by fire, earthquake, wind, flood, deterioration, neglect, abandonment, vandalism or by any other cause to such an extent that it is likely to partially or completely collapse, or to become detached or dislodged.</p>	<p>GARAGE THROUGHOUT</p> <p>Repair or replace any portion of a building, structure or appurtenance that has been damaged by fire, earthquake, wind, flood, deterioration, neglect, abandonment, vandalism or by any other cause to such an extent that it is likely to partially or completely collapse, or to become detached or dislodged.</p> <p>*REPAIR OR REPLACE ALL DAMAGED WALL COMPONENTS, INCLUDING: FRAMING, SHEETING, AND COVERINGS. PERMIT REQUIRED FOR REPLACEMENT OF ALL STRUCTURAL COMPONENTS.</p> <p>*REPAIR/REPLACE ANY MISSING, ROTTED OR DAMAGED WINDOWS/WINDOW FRAMES. ANY REPAIRS TO THE STRUCTURE WILL REQUIRE A BUILDING PERMIT.</p> <p>*SCRAPE LOOSE PAINT, REPAIR WHERE NEEDED AND PAINT TO MATCH.</p> <p>*REPAIR/REPLACE ANY BROKEN, MISSING, DAMAGED OR ROTTED DRYWALL/PANELING/WALL COVERING. ANY REPAIRS TO THE STRUCTURE WILL REQUIRE A BUILDING PERMIT.</p> <p>*REPLACE ALL SMOKE DETECTORS PER CODE AFTER FIRE.</p> <p>*REPAIR AND REPLACE ANY AND ALL DAMAGED FLOORING THROUGHOUT THE STRUCTURE.</p> <p>*REPAIR OR REPLACE ALL DAMAGED OR MISSING DOORS AND OR JAMS AS NEEDED. OBTAIN FINAL ON PERMIT REQUIRED IF CHANGING OPENING SIZE</p> <p>*REPAIR OR REPLACE ALL DAMAGED OR MISSING WINDOWS AS NEEDED. PERMIT REQUIRED IF CHANGING OPENING SIZE.</p>	12/06/2022

Violation	Corrective Action	Compliance Due Date
<p>60-192(3) - Dangerous Structure or Premise - Damaged</p> <p>For the purpose of this article, any structure or premise that has any or all of the conditions or defects described below shall be considered dangerous and a public nuisance:</p> <p>(3) Any portion of a building, structure or appurtenance that has been damaged by fire, earthquake, wind, flood, deterioration, neglect, abandonment, vandalism or by any other cause to such an extent that it is likely to partially or completely collapse, or to become detached or dislodged.</p>	<p>MAIN STRUCTURE THROUGHOUT</p> <p>Repair or replace any portion of a building, structure or appurtenance that has been damaged by fire, earthquake, wind, flood, deterioration, neglect, abandonment, vandalism or by any other cause to such an extent that it is likely to partially or completely collapse, or to become detached or dislodged.</p> <p>*REPAIR OR REPLACE ALL DAMAGED WALL COMPONENTS, INCLUDING: FRAMING, SHEETING, AND COVERINGS. PERMIT REQUIRED FOR REPLACEMENT OF ALL STRUCTURAL COMPONENTS.</p> <p>*REPAIR/REPLACE ANY MISSING, ROTTED OR DAMAGED WINDOWS/WINDOW FRAMES. ANY REPAIRS TO THE STRUCTURE WILL REQUIRE A BUILDING PERMIT.</p> <p>*SCRAPE LOOSE PAINT, REPAIR WHERE NEEDED AND PAINT TO MATCH.</p> <p>*REPAIR/REPLACE ANY BROKEN, MISSING, DAMAGED OR ROTTED DRYWALL/PANELING/WALL COVERING. ANY REPAIRS TO THE STRUCTURE WILL REQUIRE A BUILDING PERMIT.</p> <p>*REPLACE ALL SMOKE DETECTORS PER CODE AFTER FIRE.</p> <p>*REPAIR AND REPLACE ANY AND ALL DAMAGED FLOORING THROUGHOUT THE STRUCTURE.</p> <p>*REPAIR OR REPLACE ALL DAMAGED OR MISSING DOORS AND OR JAMS AS NEEDED. OBTAIN FINAL ON PERMIT REQUIRED IF CHANGING OPENING SIZE</p> <p>*REPAIR OR REPLACE ALL DAMAGED OR MISSING WINDOWS AS NEEDED. PERMIT REQUIRED IF CHANGING OPENING SIZE.</p>	12/06/2022

Violation	Corrective Action	Compliance Due Date
<p>60-192(6) - Dangerous Structure or Premise - Unsafe</p> <p>For the purpose of this article, any structure or premise that has any or all of the conditions or defects described below shall be considered dangerous and a public nuisance:</p> <p>(6) The building or structure, or any portion thereof, is clearly unsafe for its use and occupancy.</p>	<p>GARAGE THROUGHOUT</p> <p>Vacate and secure any structure that is clearly unsafe for its use and occupancy, OR, demolish the structure after obtaining required permit, OR repair or replace the building or structure, or any portion thereof, that is clearly unsafe for its use and occupancy.</p>	12/06/2022
<p>60-192(6) - Dangerous Structure or Premise - Unsafe</p> <p>For the purpose of this article, any structure or premise that has any or all of the conditions or defects described below shall be considered dangerous and a public nuisance:</p> <p>(6) The building or structure, or any portion thereof, is clearly unsafe for its use and occupancy.</p>	<p>MAIN STRUCTURE THROUGHOUT</p> <p>Vacate and secure any structure that is clearly unsafe for its use and occupancy, OR, demolish the structure after obtaining required permit, OR repair or replace the building or structure, or any portion thereof, that is clearly unsafe for its use and occupancy.</p>	12/06/2022

Violation	Corrective Action	Compliance Due Date
<p>60-192(9) - Dangerous Structure or Premise - Unsanitary, Unfit for Habitation</p> <p>For the purpose of this article, any structure or premise that has any or all of the conditions or defects described below shall be considered dangerous and a public nuisance:</p> <p>(9) A building or structure, used or intended to be used for dwelling purposes, because of inadequate maintenance, dilapidation, decay, damage, faulty construction or arrangement, inadequate light, ventilation, mechanical or plumbing system, or otherwise is determined by the administrator to be unsanitary, unfit for human habitation or in such a condition that is likely to cause sickness of disease.</p>	<p>MAIN STRUCTURE THROUGHOUT</p> <p>Vacate and secure the structure or premises, OR, repair, replace, and/or sanitize any building or structure determined to be unsanitary, unfit for human habitation, or in such a condition that it is likely to cause sickness or disease.</p> <p>*HAVE A LICENSED MECHANICAL CONTRACTOR INSPECT THE ENTIRE MECHANICAL SYSTEM AND PROVIDE A COPY OF THE FINDING. REPAIR AND/OR REPLACE ALL DEFICIENT ELEMENTS OF THE MECHANICAL SYSTEM THROUGHOUT THE ENTIRE STRUCTURE. WORK MUST BE DONE BY A LICENSED MECHANICAL CONTRACTOR.</p> <p>*HAVE A LICENSED PLUMBING CONTRACTOR INSPECT THE ENTIRE PLUMBING SYSTEM AND PROVIDE A COPY OF THE FINDINGS. REPAIR AND/OR REPLACE ALL DEFICIENT ELEMENTS OF THE PLUMBING SYSTEM THROUGHOUT THE ENTIRE STRUCTURE. WORK MUST BE DONE BY A LICENSED PLUMBING CONTRACTOR.</p>	12/06/2022
<p>60-194 - Defacing and Removing Placard</p> <p>No person shall deface or remove the placard, except as authorized by the administrator.</p>	<p>Replace or restore defaced or removed placard.</p>	12/06/2022

If not occupied, the structure is to remain vacant and unoccupied until occupancy is authorized by this office.

If the structure is occupied, it must be **vacated immediately**. If procedures to vacate the premises are not undertaken immediately upon receipt of this notice, and in no case later than seven (7) days, the City may seek a court order directing you to vacate the structure, pursuant to Section 60-191 and 60-192 of the Municipal Code of the City of Des Moines, Iowa.

ALL ELECTRICAL, MECHANICAL, PLUMBING, AND STRUCTURAL COMPONENTS IN NEED OF REPLACEMENT OR REPAIR, ARE TO BE BROUGHT TO MINIMUM CODE REQUIREMENTS WITH NECESSARY PERMITS AS REQUIRED TO MEET CITY CODES. Should you have any questions regarding permits, contact the Permit and Development Center at (515) 283-4200. All work performed by a contractor or you must be completed in a workmanlike manner.

If you plan to renovate the structure and it has been vacant for over a year, there may be zoning issues, which may affect the renovation plans. Please contact the Development Zoning Division at (515) 283-4207 to determine if there is anything you should be aware of.

If you decide to demolish the building or take the structure down, you will need a demolition permit.

If you cannot renovate or demolish the structure, contact me to discuss allowing the City to remove the structure. There will be costs billed out to you and possibly a judgment. It may be cheaper for you to remove the structure yourself.

If you no longer own this property, please let us know.

Unpaid costs may be collected by personal judgment, collection, or assessment to be collected as a property tax.

Should you have any questions, feel free to call. I can usually be reached between 8:00 a.m. and 9:00 a.m., Monday through Friday.

Thank you for your help,

Respectfully,



Kevin Pyles
Neighborhood Inspector
Neighborhood Services
602 Robert D. Ray Drive, Des Moines, IA 50309
(515) 283-4122
KEPyles@dmgov.org



City of Des Moines
 400 Robert D. Ray Drive
 Des Moines, IA 50309

Case Number: NUIS-2022-000182	
Notice of Violation	Case Type: Public Nuisance
	Case Opened: 08/18/2022
	Date of Notice: 10/20/2022
	Date of Inspection: 10/10/2022

TYLER PETERSON
 1544 DEAN AVE
 DES MOINES IA 50316

Address of Property: **1544 DEAN AVE, DES MOINES IA 50316**
 Parcel Number: **782402158023**

Legal Description: **S 1/2 LOT 12 BLK 43 STEWARTS ADDITION**

Upon inspection of the property located at and locally known as the Address of Property shown above, located in Des Moines, Iowa, ("Property"), there was/were found to be violation(s) of the Municipal Code of the City of Des Moines, Iowa. It has been determined from that inspection that the dwelling currently constitutes a danger to health and safety to the public and is a public nuisance.

We are notifying you that you have the **time set out in this notice (below under "Compliance Due Date")** to abate the following violation(s) and complete the required remedial action.

VIOLATION(S)

Violation	Corrective Action	Compliance Due Date
-----------	-------------------	---------------------

Violation	Corrective Action	Compliance Due Date
<p>60-191 - Vacation and Abatement Any structure, dwelling, mobile home, equipment, or premise declared to be a public nuisance and unfit for human habitation or use, and so designated by the administrator, shall immediately be vacated and the nuisance shall be abated. The owner(s) shall be responsible for the vacation and abatement of the nuisance at such owner's expense. If not complied by such owner(s), then the nuisance may be abated by the city at the owner's expense. As indicated by section 60-19, the owner of land upon which a mobile home sits is a responsible owner in the event that mobile home is declared to be a public nuisance. Both the owner of the mobile home and the owner of the land upon which the mobile home sits shall be responsible for vacation and abatement of the public nuisance.</p>	<p>MAIN STRUCTURE THROUGHOUT/GARAGE THROUGHOUT</p> <p>Vacate the structure until nuisance has been abated and is no longer declared a public nuisance.</p> <p>*ALL ELECTRICAL, MECHANICAL, PLUMBING AND STUCTURAL COMPONENTS THROUGHOUT THE STRUCTURE ARE TO BE BROUGHT TO MINIMUM CODE REQUIREMENTS WITH NECESSARY PERMITS AS REQUIRED TO MEET THE CITY CODES.</p> <p>*IF CHOSEN TO DEMOLISH, PERMIT MUST BE PULLED AND FINALIZED.</p> <p>*UNABLE TO GAIN ACCESS INTO STRUCTURE, POSSIBLE MORE VIOLATIONS EXIST.</p>	12/06/2022
<p>60-192(10) - Dangerous Structure or Premise - Lack of Sufficient Construction For the purpose of this article, any structure or premise that has any or all of the conditions or defects described below shall be considered dangerous and a public nuisance: (10) Any building or structure, because of lack of sufficient or proper fire-resistance-rated construction, fire protection systems, electrical system, fuel connections, mechanical system, plumbing system or other cause, is determined by the administrator to be a threat to life or health.</p>	<p>MAIN STRUCTURE THROUGHOUT</p> <p>Vacate and secure the structure or premises, OR, demolish the structure after obtaining required demolition permit, OR, repair or replace insufficient construction, fire protection systems, electrical system, fuel connections, mechanical system, plumbing system or other cause that is a threat to life or health.</p> <p>*HAVE A LICENSED ELECTRICAL CONTRACTOR INSPECT THE ENTIRE ELECTRICAL SYSTEM AND PROVIDE A COPY OF THE FINDINGS. REPAIR AND/OR REPLACE ALL DEFICIENT ELEMENTS OF THE ELECTRICAL SYSTEM THROUGHOUT THE ENTIRE STRUCTURE. WORK MUST BE DONE BY A LICENSED ELECTRICAL CONTRACTOR.</p>	12/06/2022

Violation	Corrective Action	Compliance Due Date
<p>60-192(12) - Dangerous Structure or Premise - Abandoned Whenever the condition or maintenance of the premise creates a nuisance that endangers the health and safety of the residents or public.</p>	<p>MAIN STRUCTURE THROUGHOUT</p> <p>Demolish the abandoned structure or premises, OR, repair, replace, or renovate the abandoned building or structure to a state such that it is no longer a nuisance or hazard to the public.</p>	12/06/2022
<p>60-192(15) - Unsafe or dangerous structure Any structure that the administrator determines is unfit for human occupancy meaning that such structure is unsafe, unlawful or, because of the degree to which the structure is in disrepair or lacks maintenance, is unsanitary, vermin or rat infested, contains filth and contamination, or lacks ventilation, illumination, sanitary or heating facilities or other essential equipment required by this code, or because the location of the structure constitutes a hazard to the occupants of the structure or to the public.</p>	<p>GARAGE THROUGHOUT</p> <p>Repair or replace the unsafe or unlawful structure OR demolish the structure.</p> <p>*CLEAN SMOKE DAMAGE FROM WALLS AND THEN PAINT TO MATCH.</p> <p>*SEVERE SMOKE AND FIRE DAMAGE. REPLACE ALL THAT IS DAMAGED. BUILDING PERMIT REQUIRED.</p> <p>*ANY UNSANITARY CONDITIONS SHOULD BE CORRECTED AND STRUCTURE CLEANED TO ENSURE HEALTH AND SAFETY OF OCCUPANTS BEFORE STRUCTURE IS REOCCUPIED.</p> <p>*DUCTWORK SHOULD BE INSPECTED AND CLEANED TO REMOVE ANY SMOKE/FIRE DAMAGE.</p>	12/06/2022

Violation	Corrective Action	Compliance Due Date
<p>60-192(15) - Unsafe or dangerous structure Any structure that the administrator determines is unfit for human occupancy meaning that such structure is unsafe, unlawful or, because of the degree to which the structure is in disrepair or lacks maintenance, is unsanitary, vermin or rat infested, contains filth and contamination, or lacks ventilation, illumination, sanitary or heating facilities or other essential equipment required by this code, or because the location of the structure constitutes a hazard to the occupants of the structure or to the public.</p>	<p>MAIN STRUCTURE THROUGHOUT</p> <p>Repair or replace the unsafe or unlawful structure OR demolish the structure.</p> <p>*CLEAN SMOKE DAMAGE FROM WALLS AND THEN PAINT TO MATCH.</p> <p>*SEVERE SMOKE AND FIRE DAMAGE. REPLACE ALL THAT IS DAMAGED. BUILDING PERMIT REQUIRED.</p> <p>*ANY UNSANITARY CONDITIONS SHOULD BE CORRECTED AND STRUCTURE CLEANED TO ENSURE HEALTH AND SAFETY OF OCCUPANTS BEFORE STRUCTURE IS REOCCUPIED.</p> <p>*DUCTWORK SHOULD BE INSPECTED AND CLEANED TO REMOVE ANY SMOKE/FIRE DAMAGE.</p>	12/06/2022
<p>60-192(2) - Dangerous Structure or Premise - Walking Surface For the purpose of this article, any structure or premise that has any or all of the conditions or defects described below shall be considered dangerous and a public nuisance: (2) The walking surface of any aisle, passageway, stairway, exit or other means of egress is so warped, worn or loose, torn or otherwise unsafe so as to not provide safe and adequate means of egress.</p>	<p>MAIN STRUCTURE THROUGHOUT</p> <p>Repair or replace walking surface of any aisle, passageway, stairway, exit, or other means of egress that is unsafe and does not provide safe and adequate means of egress.</p> <p>*REPAIR AND REPLACE ANY AND ALL DAMAGED EXTERIOR DOORS AND DOOR JAMS AND MUST BE IN GOOD WORKING ORDER.</p> <p>*REPAIR AND REPLACE ANY AND ALL DAMAGED FLOORING THROUGHOUT THE STRUCTURE.</p> <p>*OBTAIN FINAL ON PERMIT AND REPAIR OR REPLACE DAMAGE DECKING, RAILING, JOIST, BEAMS, HANDRAIL, AND STAIRS. PERMIT REQUIRED FOR REPLACEMENT OF ALL STRUCTURAL COMPONENTS.</p>	12/06/2022

Violation	Corrective Action	Compliance Due Date
<p>60-192(3) - Dangerous Structure or Premise - Damaged</p> <p>For the purpose of this article, any structure or premise that has any or all of the conditions or defects described below shall be considered dangerous and a public nuisance:</p> <p>(3) Any portion of a building, structure or appurtenance that has been damaged by fire, earthquake, wind, flood, deterioration, neglect, abandonment, vandalism or by any other cause to such an extent that it is likely to partially or completely collapse, or to become detached or dislodged.</p>	<p>GARAGE THROUGHOUT</p> <p>Repair or replace any portion of a building, structure or appurtenance that has been damaged by fire, earthquake, wind, flood, deterioration, neglect, abandonment, vandalism or by any other cause to such an extent that it is likely to partially or completely collapse, or to become detached or dislodged.</p> <p>*REPAIR OR REPLACE ALL DAMAGED WALL COMPONENTS, INCLUDING: FRAMING, SHEETING, AND COVERINGS. PERMIT REQUIRED FOR REPLACEMENT OF ALL STRUCTURAL COMPONENTS.</p> <p>*REPAIR/REPLACE ANY MISSING, ROTTED OR DAMAGED WINDOWS/WINDOW FRAMES. ANY REPAIRS TO THE STRUCTURE WILL REQUIRE A BUILDING PERMIT.</p> <p>*SCRAPE LOOSE PAINT, REPAIR WHERE NEEDED AND PAINT TO MATCH.</p> <p>*REPAIR/REPLACE ANY BROKEN, MISSING, DAMAGED OR ROTTED DRYWALL/PANELING/WALL COVERING. ANY REPAIRS TO THE STRUCTURE WILL REQUIRE A BUILDING PERMIT.</p> <p>*REPLACE ALL SMOKE DETECTORS PER CODE AFTER FIRE.</p> <p>*REPAIR AND REPLACE ANY AND ALL DAMAGED FLOORING THROUGHOUT THE STRUCTURE.</p> <p>*REPAIR OR REPLACE ALL DAMAGED OR MISSING DOORS AND OR JAMS AS NEEDED. OBTAIN FINAL ON PERMIT REQUIRED IF CHANGING OPENING SIZE</p> <p>*REPAIR OR REPLACE ALL DAMAGED OR MISSING WINDOWS AS NEEDED. PERMIT REQUIRED IF CHANGING OPENING SIZE.</p>	<p>12/06/2022</p>

Violation	Corrective Action	Compliance Due Date
<p>60-192(3) - Dangerous Structure or Premise - Damaged</p> <p>For the purpose of this article, any structure or premise that has any or all of the conditions or defects described below shall be considered dangerous and a public nuisance:</p> <p>(3) Any portion of a building, structure or appurtenance that has been damaged by fire, earthquake, wind, flood, deterioration, neglect, abandonment, vandalism or by any other cause to such an extent that it is likely to partially or completely collapse, or to become detached or dislodged.</p>	<p>MAIN STRUCTURE THROUGHOUT</p> <p>Repair or replace any portion of a building, structure or appurtenance that has been damaged by fire, earthquake, wind, flood, deterioration, neglect, abandonment, vandalism or by any other cause to such an extent that it is likely to partially or completely collapse, or to become detached or dislodged.</p> <p>*REPAIR OR REPLACE ALL DAMAGED WALL COMPONENTS, INCLUDING: FRAMING, SHEETING, AND COVERINGS. PERMIT REQUIRED FOR REPLACEMENT OF ALL STRUCTURAL COMPONENTS.</p> <p>*REPAIR/REPLACE ANY MISSING, ROTTED OR DAMAGED WINDOWS/WINDOW FRAMES. ANY REPAIRS TO THE STRUCTURE WILL REQUIRE A BUILDING PERMIT.</p> <p>*SCRAPE LOOSE PAINT, REPAIR WHERE NEEDED AND PAINT TO MATCH.</p> <p>*REPAIR/REPLACE ANY BROKEN, MISSING, DAMAGED OR ROTTED DRYWALL/PANELING/WALL COVERING. ANY REPAIRS TO THE STRUCTURE WILL REQUIRE A BUILDING PERMIT.</p> <p>*REPLACE ALL SMOKE DETECTORS PER CODE AFTER FIRE.</p> <p>*REPAIR AND REPLACE ANY AND ALL DAMAGED FLOORING THROUGHOUT THE STRUCTURE.</p> <p>*REPAIR OR REPLACE ALL DAMAGED OR MISSING DOORS AND OR JAMS AS NEEDED. OBTAIN FINAL ON PERMIT REQUIRED IF CHANGING OPENING SIZE</p> <p>*REPAIR OR REPLACE ALL DAMAGED OR MISSING WINDOWS AS NEEDED. PERMIT REQUIRED IF CHANGING OPENING SIZE.</p>	12/06/2022

Violation	Corrective Action	Compliance Due Date
<p>60-192(6) - Dangerous Structure or Premise - Unsafe</p> <p>For the purpose of this article, any structure or premise that has any or all of the conditions or defects described below shall be considered dangerous and a public nuisance:</p> <p>(6) The building or structure, or any portion thereof, is clearly unsafe for its use and occupancy.</p>	<p>GARAGE THROUGHOUT</p> <p>Vacate and secure any structure that is clearly unsafe for its use and occupancy, OR, demolish the structure after obtaining required permit, OR repair or replace the building or structure, or any portion thereof, that is clearly unsafe for its use and occupancy.</p>	12/06/2022
<p>60-192(6) - Dangerous Structure or Premise - Unsafe</p> <p>For the purpose of this article, any structure or premise that has any or all of the conditions or defects described below shall be considered dangerous and a public nuisance:</p> <p>(6) The building or structure, or any portion thereof, is clearly unsafe for its use and occupancy.</p>	<p>MAIN STRUCTURE THROUGHOUT</p> <p>Vacate and secure any structure that is clearly unsafe for its use and occupancy, OR, demolish the structure after obtaining required permit, OR repair or replace the building or structure, or any portion thereof, that is clearly unsafe for its use and occupancy.</p>	12/06/2022

Violation	Corrective Action	Compliance Due Date
<p>60-192(9) - Dangerous Structure or Premise - Unsanitary, Unfit for Habitation</p> <p>For the purpose of this article, any structure or premise that has any or all of the conditions or defects described below shall be considered dangerous and a public nuisance:</p> <p>(9) A building or structure, used or intended to be used for dwelling purposes, because of inadequate maintenance, dilapidation, decay, damage, faulty construction or arrangement, inadequate light, ventilation, mechanical or plumbing system, or otherwise is determined by the administrator to be unsanitary, unfit for human habitation or in such a condition that is likely to cause sickness of disease.</p>	<p>MAIN STRUCTURE THROUGHOUT</p> <p>Vacate and secure the structure or premises, OR, repair, replace, and/or sanitize any building or structure determined to be unsanitary, unfit for human habitation, or in such a condition that it is likely to cause sickness or disease.</p> <p>*HAVE A LICENSED MECHANICAL CONTRACTOR INSPECT THE ENTIRE MECHANICAL SYSTEM AND PROVIDE A COPY OF THE FINDING. REPAIR AND/OR REPLACE ALL DEFICIENT ELEMENTS OF THE MECHANICAL SYSTEM THROUGHOUT THE ENTIRE STRUCTURE. WORK MUST BE DONE BY A LICENSED MECHANICAL CONTRACTOR.</p> <p>*HAVE A LICENSED PLUMBING CONTRACTOR INSPECT THE ENTIRE PLUMBING SYSTEM AND PROVIDE A COPY OF THE FINDINGS. REPAIR AND/OR REPLACE ALL DEFICIENT ELEMENTS OF THE PLUMBING SYSTEM THROUGHOUT THE ENTIRE STRUCTURE. WORK MUST BE DONE BY A LICENSED PLUMBING CONTRACTOR.</p>	12/06/2022
<p>60-194 - Defacing and Removing Placard</p> <p>No person shall deface or remove the placard, except as authorized by the administrator.</p>	<p>Replace or restore defaced or removed placard.</p>	12/06/2022

If not occupied, the structure is to remain vacant and unoccupied until occupancy is authorized by this office.

If the structure is occupied, it must be **vacated immediately**. If procedures to vacate the premises are not undertaken immediately upon receipt of this notice, and in no case later than seven (7) days, the City may seek a court order directing you to vacate the structure, pursuant to Section 60-191 and 60-192 of the Municipal Code of the City of Des Moines, Iowa.

ALL ELECTRICAL, MECHANICAL, PLUMBING, AND STRUCTURAL COMPONENTS IN NEED OF REPLACEMENT OR REPAIR, ARE TO BE BROUGHT TO MINIMUM CODE REQUIREMENTS WITH NECESSARY PERMITS AS REQUIRED TO MEET CITY CODES. Should you have any questions regarding permits, contact the Permit and Development Center at (515) 283-4200. All work performed by a contractor or you must be completed in a workmanlike manner.

If you plan to renovate the structure and it has been vacant for over a year, there may be zoning issues, which may affect the renovation plans. Please contact the Development Zoning Division at (515) 283-4207 to determine if there is anything you should be aware of.

If you decide to demolish the building or take the structure down, you will need a demolition permit.

If you cannot renovate or demolish the structure, contact me to discuss allowing the City to remove the structure. There will be costs billed out to you and possibly a judgment. It may be cheaper for you to remove the structure yourself.

If you no longer own this property, please let us know.

Unpaid costs may be collected by personal judgment, collection, or assessment to be collected as a property tax.

Should you have any questions, feel free to call. I can usually be reached between 8:00 a.m. and 9:00 a.m., Monday through Friday.

Thank you for your help,

Respectfully,



Kevin Pyles
Neighborhood Inspector
Neighborhood Services
602 Robert D. Ray Drive, Des Moines, IA 50309
(515) 283-4122
KEPyles@dmgov.org